



# RIVA2

GAS FIRES



# Everyone is Different

This is why we created such a wide and diverse range of Riva2 gas fires, with so many possibilities. Whether you prefer contemporary or traditional styles, small or large fires, or live in a home with or without a chimney, you can personalise your Riva2 fire to suit your tastes and requirements.



*Riva2 600HL Edge with EchoFlame Black Glass lining.  
Cover image: Riva2 600 Designio2 Glass with EchoFlame Black Glass Lining*

## Contents

Riva2 Fires.....	06
Size Options .....	07
Frame & Surround Options .....	08
Lining Options .....	10
Riva2 400 .....	12
Riva2 500 .....	18
Riva2 500HL Slimline.....	24
Riva2 600.....	28
Riva2 600HL.....	34
Riva2 750HL.....	40
Riva2 Stone Mantels.....	46
Reflex & Studio Fires .....	54
Electric Fires .....	56
Flue Options .....	58
Summary of Options.....	60
Technical Information.....	62





# Relax - it's a Gazco Fire...

When you choose Gazco, quality and innovative technology are assured. From traditional models to contemporary designs, Gazco is committed to creating the ultimate flame-effect gas and electric fires.

Our research and development laboratories are amongst the most advanced in the world, ensuring that the very latest innovations are incorporated into our appliances.

Gazco is an ISO9001 and ISO14001 accredited company. Our rigorous quality control system ensures that all our appliances are safety checked and that they comply with the appropriate regulations, with all fires in this brochure bearing both the UKCA and CE mark. Similarly, our environmental management systems ensure we work in a sustainable manner, whilst endeavouring to protect the environment by minimising any possible impact from our operations.



## Warranty

Your Gazco Expert Retailer will provide you with a Two Year Warranty for your new gas fire. This can be extended to a Five Year Warranty by registering your fire with Gazco. Please note, these warranties exclude certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard 1 Year non-extendable Warranty, or minimum statutory warranty for your country. Full warranty terms and conditions are available to view at [www.gazco.com](http://www.gazco.com).



We are proud to have been recognised as an award-winning manufacturer, for our high-quality products and innovative technology. Find out more at [gazco.com/awards](http://gazco.com/awards)

**WIN** the cost of your product back!

by registering your product online for your free extended warranty. See page 69 for more details.

# Expert Retailer Network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards.

We are equally careful to make certain they are sold and installed correctly so you can enjoy years of pleasure from your fire. Our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home.

Our experienced retailers will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

## Find Your Retailer

Find your nearest retailer by visiting: [www.gazco.com/retailers](http://www.gazco.com/retailers)





# Riva2 Fires

Whichever model you decide upon, you can rest assured each fire has been designed in our world-class UK laboratories. Our state-of-the-art technology ensures all Riva2 fires provide high efficiency heating and superb, natural flames at the touch of a button.



*Riva2 600 Designio2 Steel in Graphite with Ledgestone-effect lining.*

## Size Options



### 400

The most compact fire in the Riva2 range, the conventional flue 400 is perfect for standard sized homes with 16" fireplaces and provides 3.8kW of heat at up to 81% efficiency.

**Size (wxh):**  
400 x 388mm\*



### 500

Superbly versatile, the Riva2 500 is designed to suit a variety of interiors. This mid-sized fire is available in conventional or balanced flue options and provides up to 4.9kW of high efficiency heat.

**Size (wxh):**  
550 x 388mm\*



### 500HL Slimline

Designed to be installed in homes without a chimney, the slim depth of the balanced flue Riva2 500HL Slimline allows some of the fire's depth to be housed in a cavity wall. The remaining 75mm depth can be housed in your choice of surround - such as the stylish Esprit (page 24) or a shallow stud-work faux chimney breast.

**Size (wxh):**  
549 x 521mm\*



### 600

The Riva2 600 offers magnificent flame visuals and a versatile, landscape form-factor. Bringing impeccable styling to any interior, this fire is suitable for a variety of homes. Opt for a minimalist Edge fire or choose one of the stylish glass or steel frame options for added presence.

**Size (wxh):**  
594 x 370mm\*



### 600HL

The highly adaptable conventional flue 600HL works equally well in both modern or traditional interiors, thanks to its versatile proportions, which suit standard 22" chimney openings. Whether styled as a contemporary fire or as a magnificent fireplace when coupled with one of Gazco's period stone mantels, you can customise the 600HL to suit your home.

**Size (wxh):**  
600 x 600mm\*



### 750HL

One of the most impressive fires in the Riva2 family, the 750HL provides up to 7kW of high efficiency heat, making it ideal for heating larger spaces. Designed to fit into a standard 36" chimney opening, the Riva2 750HL allows you to make the most of your existing fireplace, with a balanced flue version for homes without a chimney.

**Size (wxh):**  
797 x 713mm\*

\* Sizes given are those visible upon installation when installed as a frameless Edge fire.

## Complete Control

The Riva2 range features a powerful Programmable Thermostatic remote control, which lets you ignite your fire and adjust the flames from the comfort of your armchair. Riva2 fires can also be pre-set to maintain selected temperatures as well as scheduled to turn on at certain times.



## Non-reflective Glass

Many fires in the Riva2 range feature crystal clear non-reflective glass for breath-taking visuals uninterrupted by unwanted reflections. See page 61 for individual fire features.

# Frame & Surround Options

There are a wealth of frame choices available to perfectly complement your Riva2 fire, outlined on these pages and shown in detail throughout the brochure. Each one of these frames offers a unique styling possibility and is crafted from the very finest materials.

Whether your tastes lie with the contemporary or the traditional, you can find a Riva2 frame to suit your interior. Options include a stunning frameless 'hole in the wall' look, sleek glass and steel finishes, striking colour options and a wealth of hand-crafted stone mantels; ensuring whatever your style preference, there is a Riva2 fire for you.

Frame	Riva2 400	Riva2 500	Riva2 500HL Slimline	Riva2 600	Riva2 600HL	Riva2 750HL
Edge	✓	✓	✓	✓	✓	✓
Icon XS	✓	✓	✓	✓	✓	✓
Ellingham	✗	✓	✗	✗	✗	✗
Verve XS	✓	✓	✓	✓	✓	✓
Evoke Steel	✗	✓	✗	✗	✗	✓
Evoke Glass	✗	✓	✗	✗	✗	✓
Evoke XS	✓	✗	✗	✗	✓**	✗
Designio2 Steel	✗	✗	✗	✓‡	✗	✗
Designio2 Glass	✗	✗	✗	✓	✗	✗
Esprit	✗	✗	✓	✗	✗	✗
Stone Mantels	✗	✓*	✓*	✓*	✓*	✓*

\*Requires additional slip sets or back panels. The Riva2 600HL and 750HL slip sets are available from Gazco. Bespoke sourcing will be required for other fires.

\*\*Available in Black Glass only

‡ Graphite finish only

Stone Mantels - see pages 46 - 53



Selected Riva2 400, 500, 500HL Slimline, 600, 600HL & 750HL are versatile fires that can be installed into both contemporary and more traditional interiors. Gazco's collection of six high quality stone mantels and hearths, with additional slip sets or backing panels, will complement these fires to ensure a grand finish and a timeless fireplace for your home.



Edge (Frameless)



Icon XS



*Black Glass*

Designio2 Glass



*Black Glass*

Verve XS



*Graphite*

Esprit



*Graphite*

Evoke XS



*Black Glass front and Graphite rear*



*White Glass front and Graphite rear*

Ellingham



*Matt Black Cast Iron*

Designio2 Steel



Evoke Steel



*Graphite*

Evoke Glass (Black Glass)



*Black Glass front and Graphite rear*

Evoke Glass (White Glass)



*White Glass front and Graphite rear*

Verve XS (for Riva2 400)



*Verve XS*

*Riva2 750HL Edge with Brick-effect  
lining in Claremont Limestone mantel  
with matching slip sets*



# Lining Options

Riva2 fires can be styled with a variety of lining options, which each transform the fire's look. Choose from modern or traditional backdrops for your fire's flames, with different linings depending on the model.



	Echoflame Black Glass	Black Reeded	Vermiculite	Fluted Vermiculite	Ledgestone-effect	Brick-effect
Riva2 400	✓	✓	✓	✗	✗	✗
Riva2 500	✓	✓	✓	✗	✓	✓
Riva2 500HL Slimline	✓	✓	✓	✗	✗	✗
Riva2 600	✓	✗	✗	✗	✓	✓
Riva2 600HL	✓	✗	✗	✗	✓	✓
Riva2 750HL	✓	✓	✗	✓	✓	✓





*Riva2 400 Edge with  
Vermiculite lining*

# Riva2 400



Riva2 400 Icon XS with EchoFlame Black Glass lining

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 400 Conventional Flue	81%	C	3.80kW	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✗	✗	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 62.

See additional image on page 62

# Riva2 400



Riva2 400 Evoke XS with White Glass front and EchoFlame Black Glass lining



Riva2 400 Verve XS with Black Reeded lining

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 400 Conventional Flue	81%	C	3.80kW	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✗	✗	✓

### Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 62.







Riva2 400 Verve XS with EchoFlame Black Glass lining

# Riva2 400



Riva2 400 Edge with Vermiculite lining.

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 400 Conventional Flue	81%	C	3.80kW	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✗	✗	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 62.



# Riva2 500



Riva2 500 Evoke Steel with with EchoFlame Black Glass lining



Riva2 500 Edge with Black Reeded lining

		Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
		E% <sup>†</sup>	EFFICIENCY CLASS	kW HEAT OUTPUT	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 500 Conventional Flue		76%	D	4.50kW	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓
Riva2 500 Balanced Flue		93.9%	A	4.90kW	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓

### Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 63.























*Riva2 500 Ellingham with Brick-effect lining*



# Riva2 500



Riva2 500 Edge with EchoFlame Black Glass lining

		Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
		 E% <sup>†</sup>	 EFFICIENCY CLASS	 HEAT OUTPUT	 BRICK CHIMNEY	 PRE-FABRICATED	 BALANCED FLUE	 NATURAL GAS	 LPG GAS	 LOGS	 BLACK GLASS	 BLACK REEDED	 VERMICULITE	 FLUTED VERMICULITE	 LEDGESTONE EFFECT	 BRICK EFFECT	 PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 500 Conventional Flue		76%	D	4.50kW	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓
Riva2 500 Balanced Flue		93.9%	A	4.90kW	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 63.

# Riva2 500



Riva2 500 Evoke Glass with Black Glass front and EchoFlame Black Glass lining



Riva2 500 Evoke Glass with White Glass front and Brick-effect lining

		Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
		E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 500 Conventional Flue		76%	D	4.50kW	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓
Riva2 500 Balanced Flue		93.9%	A	4.90kW	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓

Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 63.



*Riva2 500 Icon XS with Vermiculite Lining*



# Riva2 500HL Slimline

The Riva2 500HL Slimline offers you the superb flames of the Riva2 range with a versatile slim profile which allows it to be installed into a cavity wall. Suitable for a huge range of interiors, the 500HL's shallow depth means that it can be conveniently fitted into an exterior wall with the internal leaf removed, ensuring a slim footprint and minimising building work. Once recessed into a cavity wall, this Slimline fire protrudes just 75mm into the room and has a choice of finishing options to suit your interior.



*Riva2 500HL Slimline Esprit with EchoFlame Black Glass lining*



## Key Features

1. Choice of frame styles including Esprit surround
2. Large and small sections of Esprit surround can be fitted either above or below fire
3. Shallow firebox depth
4. Balanced flue connection
5. Choice of linings
6. Highly realistic fuel bed
7. Convected heat system outlet
8. Radiant heat
9. Non-reflective glass
10. Programmable Thermostatic remote control\*
11. Rear exit Balanced Flue Termination Kit included\*

\*Not illustrated

## Esprit Surround (see left)

An eye-catching alternative to the Edge or frame styling choices, the Esprit adds a surround that houses the Riva2 500HL's remaining 75mm front facing depth once installed into a cavity wall, minimising building work.



Riva2 500HL Slimline Icon XS with Vermiculite lining

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	HEAT OUTPUT kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 500HL Slimline Balanced Flue	86%	B	4.60kW	X	X	✓	✓	✓	✓	✓	✓	✓	X	X	X	✓

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 64.

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

See additional images on page 48 & 60.

# Riva2 500HL Slimline



Riva2 500HL Slimline Esprit with EchoFlame Black Glass lining



Riva2 500HL Slimline Verve XS with Black Reeded lining

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 500HL Slimline Balanced Flue	86%	B	4.60kW	X	X	✓	✓	✓	✓	✓	✓	✓	X	X	X	✓

Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

† Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 64.





# Riva2 600



Riva2 600 Icon XS with EchoFlame Black Glass lining

		Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
		E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 600 Conventional Flue		80.5%	C	5.00kW	✓	✓	✗	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓
Riva2 600 Balanced Flue		92%	A	5.70kW	✗	✗	✓	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 65.

See additional images on pages 6 and 65.

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.









# Riva2 600



Riva2 600 Designio2 Steel with Brick-effect lining

		Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
		E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 600 Conventional Flue		80.5%	C	5.00kW	✓	✓	✗	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓
Riva2 600 Balanced Flue		92%	A	5.70kW	✗	✗	✓	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 65.

See additional images on pages 6 and 65.

# Riva2 600



Riva2 600 Verve XS with Ledgestone-effect lining

		Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
		EFFICIENCY	EFFICIENCY CLASS	HEAT OUTPUT	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 600 Conventional Flue		80.5%	C	5.00kW	✓	✓	✗	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓
Riva2 600 Balanced Flue		92%	A	5.70kW	✗	✗	✓	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

† Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 65.

See additional images on pages 6 and 65.







*Riva2 600HL Edge with Brick-effect lining*

# Riva2 600HL



Riva2 600HL Icon XS with LedgeStone-effect lining



Riva2 600HL Evoke XS Glass with Black Glass front and EchoFlame Black Glass lining

		Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
		E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 600HL Conventional Flue		76%	D	5.30kW	✓	✓	✗	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 66.

See additional images on page 2, 46, 48, 50, 51, 53 & 66.



# Riva2 600HL



Riva2 600HL Edge with EchoFlame Black Glass lining. Shown with Victorian Corbel Stone mantel in Antique White Marble

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 600HL Conventional Flue	76%	D	5.30kW	✓	✓	✗	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 66.

For further stone mantel installations see pages 46 - 53.







Riva2 600HL Evoke XS Glass with Black Glass front and EchoFlame Black Glass lining



# Riva2 600HL



Riva2 600HL Verve XS with Brick-effect lining

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 600HL Conventional Flue	76%	D	5.30kW	✓	✓	✗	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 66.

# Riva2 750HL



Riva2 750HL Icon XS with EchoFlame Black Glass lining

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 750HL Conventional Flue	81%	C	6.90kW	✓	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓
Riva2 750HL Balanced Flue	92%	A	7.00kW	✗	✗	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 67.

See additional images on page 10, 47, 49, 51, 53, 59 & back cover.





*Riva2 750HL Verve XS in Graphite  
with EchoFlame Black Glass lining*



# Riva2 750HL



Riva2 750HL Evoke Glass with White Glass front and Ledgestone-effect lining



Riva2 750HL Edge with Brick-effect lining

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 750HL Conventional Flue	81%	C	6.90kW	✓	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓
Riva2 750HL Balanced Flue	92%	A	7.00kW	✗	✗	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 67.



*Riva2 750HL Evoke Steel with Fluted Vermiculite lining*



# Riva2 750HL



*Riva2 750HL Evoke Glass with Black Glass front and Black Reeded lining*



*Riva2 750HL Edge with EchoFlame Black Glass lining*

	Efficiency & Heat Output			Chimney or Flue Options			Gas Type		Fuel Bed	Linings						Control
	E% <sup>†</sup>	EFFICIENCY CLASS	kW	BRICK CHIMNEY	PRE-FABRICATED	BALANCED FLUE	NATURAL GAS	LPG GAS	LOGS	BLACK GLASS	BLACK REEDED	VERMICULITE	FLUTED VERMICULITE	LEDGESTONE EFFECT	BRICK EFFECT	PROGRAMMABLE THERMOSTATIC REMOTE
Riva2 750HL Conventional Flue	81%	C	6.90kW	✓	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓
Riva2 750HL Balanced Flue	92%	A	7.00kW	✗	✗	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓

<sup>†</sup> Efficiency and heat output figures are based upon the maximum achieved in the options available. For more detailed technical information, including firebox dimensions and installation requirements, see page 67.

## Frame Options

For the complete selection of frames available with Riva2 fires see pages 8 - 9.

# Riva2 Stone Mantels



*Riva2 600HL Edge with Brick-effect lining and  
Claremont Mantel in Limestone with matching slip set*

# Traditional Style with a Modern Slant...

Gazco's collection of six high quality stone mantels and optional hearths are available in a choice of either Limestone or Antique White Marble, each piece truly unique by virtue of the naturally occurring veining, subtle tonal differences and indeed even small fossils that may be found in the limestone. Each mantel is a beautiful and natural complement to many of the high efficiency fires shown in this brochure and the perfect way to create a grand finish and a timeless fireplace in your home.



Limestone



Antique White Marble

For more information on Gazco's stone mantels and hearths please see page 68.

Mantel Styles	Claremont	Cavendish Bolection	Georgian Roundel	Grafton	Sandringham	Victorian Corbel
Dimensions $\Delta$ w x h (mm)	1555 x 1143	1460 x 1320	1460 x 1082	1415 x 1165	1550 x 1220	1525 x 1170



Riva2 750 Edge with Ledgestone-effect lining and Grafton Mantel in Limestone with matching slip sets

\*Riva2 600HL & 750HL slip sets are available from Gazco.

Bespoke sourcing will be required for Riva2 400, 500, 600, 530 & 500HL Slimline slip sets or back panels for any other fires.

$\Delta$  Overall visible dimensions upon installation. For more detailed information, including firebox dimensions, please see page 62 onwards.



Victorian Corbel



Claremont



Sandringham



Cavendish Bolection



Georgian Roundel



Grafton

(All the above images are shown with a Riva2 750HL fire and matching slip sets)



# Riva2 Stone Mantels



*Sandringham Mantel detail*



*Riva2 500HL Slimline Edge with Vermiculite Lining and Sandringham Mantel in Limestone*



*Riva2 600HL Edge with Echoflame Black Glass lining and Claremont Mantel with large hearth in Limestone and matching slip sets*

## Fire Choices

Fire Choices	Pages
Riva2 400 Edge	12 - 17
Riva2 500 Edge	18 - 23
Riva2 500HL Slimline Edge	24 - 27
Riva2 600 Edge	28 - 33
Riva2 600HL Edge	34 - 39
Riva2 750HL Edge	40 - 45

## Pages

## Mantel Styles

Mantel Styles	Dimensions w x h (mm)	Opening Dimensions w x h (mm)
Claremont	1555 x 1143	915 x 915
Cavendish Bolection	1460 x 1320	915 x 915
Georgian Roundel	1460 x 1082	915 x 915
Grafton	1415 x 1165	915 x 915
Sandringham	1550 x 1220	915 x 915
Victorian Corbel	1525 x 1170	915 x 915

## Dimensions w x h (mm)

## Opening Dimensions w x h (mm)

## Stone Choices



Limestone



Antique  
White Marble

*Riva2 750HL Edge with Brick-effect lining  
and Grafton Mantel and small hearth in Antique  
White Mantel with matching slip sets*





*Riva2 600HL with EchoFlame Black Glass lining and Sandringham Mantel, slip sets and small hearth in Limestone*



# Riva2 Stone Mantels (continued)



*Victorian Corbel Mantel detail*



*Riva2 750HL with Black Reeded lining and Cavendish Bolection Mantel and slip sets in Limestone*



*Riva2 600HL with Brick-effect lining and Victorian Corbel Mantel in Antique White Marble with matching slip sets*

With matching stone slip sets available, these impressive stone mantels have been specifically designed to complement fires such as the Riva2 600HL and Riva2 750HL Edge fires. However, by incorporating a back panel of your choosing, these work equally well with the Riva2 500 Edge. Your styling options continue with a choice of distinctive lining options, allowing you to choose a look that will best suit you and your home.

## Fire Choices

	Pages
Riva2 400 Edge	12 - 17
Riva2 500 Edge	18 - 23
Riva2 500HL Slimline Edge	24 - 27
Riva2 600 Edge	28 - 33
Riva2 600HL Edge	34 - 39
Riva2 750HL Edge	40 - 45

## Mantel Styles

	Dimensions w x h (mm)	Opening Dimensions w x h (mm)
Claremont	1555 x 1143	915 x 915
Cavendish Bolection	1460 x 1320	915 x 915
Georgian Roundel	1460 x 1082	915 x 915
Grafton	1415 x 1165	915 x 915
Sandringham	1550 x 1220	915 x 915
Victorian Corbel	1525 x 1170	915 x 915

## Stone Choices



Limestone



Antique  
White Marble

For further details on the complementary hearth options and slip sets, please see page 68.



*Riva2 500 Edge with Ledge-stone-effect lining and Cavendish Bolection Mantel in Limestone*

# Riva2 Stone Mantels (continued)



*Riva2 750HL Edge with Fluted Vermiculite lining and Georgian Roundel Mantel, slip sets and large hearth in Antique White Marble.*



*Riva2 600HL Edge Glass with EchoFlame Black Glass lining and Claremont Limestone Mantel with matching slip sets*

The Riva2 stone mantel collection features the finest quality hand-finished craftsmanship and provides the ultimate in aesthetic and tactile appeal for your home. Paired with a high efficiency Riva2 fire, you can enjoy all the authentic charm of a highly realistic log-effect fire in a timeless mantel fireplace, fully operational from the comfort of your favourite armchair using the convenient Programmable Thermostatic remote control supplied.

## Fire Choices

Fire Choices	Pages
Riva2 400 Edge	12 - 17
Riva2 500 Edge	18 - 23
Riva2 500HL Slimline Edge	24 - 27
Riva2 600 Edge	28 - 33
Riva2 600HL Edge	34 - 39
Riva2 750HL Edge	40 - 45

## Mantel Styles

Mantel Styles	Dimensions w x h (mm)	Opening Dimensions w x h (mm)
Claremont	1555 x 1143	915 x 915
Cavendish Bolection	1460 x 1320	915 x 915
Georgian Roundel	1460 x 1082	915 x 915
Grafton	1415 x 1165	915 x 915
Sandringham	1550 x 1220	915 x 915
Victorian Corbel	1525 x 1170	915 x 915

## Stone Choices



Limestone

Antique  
White Marble

For further details on the complementary hearth options and slip sets, please see page 68.





*Studio 3 Balanced Flue Edge 'Cool Wall' with  
Log-effect bed and Vermiculite lining*

# Gazco Reflex & Studio Fires



*Reflex 75T Evoke Steel with Graphite front and rear with Ledgestone-effect lining*



*Reflex 105-3 (three-sided fire) with EchoFlame Black Glass lining, with Left Open Corner Ventilation Bar*



*Studio 1 Freestanding Conventional Flue with Black front and matching bench, Log fuel bed and black reeded lining*

## Reflex Gas Fires

Delivering the ultimate in realistic flames, Reflex fires provide extraordinary visuals that are almost indistinguishable from a real woodburning fire. Ambience is heightened with each fire's powerful LED ember bed, which provides glowing up-lighting below the flames for added realism.

A range of fire options include single sided conventional and balanced flue models that can be installed with a choice of stylish frames or Gazco's range of classical stone mantels, depending on your preference. For a strikingly bespoke installation, Reflex two and three sided fires grant an unparalleled view of the stunning flames, which can be viewed from almost anywhere in the room. These elegantly contemporary fires allow for a beautifully unique fireplace, whether positioned centrally or as a corner fire.



## Studio Gas Fires

Gazco Studio fires combine eye-catching aesthetics, superb heating performance and versatile installation options to create a stylish, contemporary gas fire range. Suitable for a range of homes with or without a chimney, the Studio collection includes landscape fires and freestanding stoves, as well as Slimline fires for cavity wall installation.

The striking flame visuals of the Studio can be customised with a host of different styling options such as frames and lining options, depending on the model, letting you tailor your fire to your tastes.



Further information about these exciting ranges can be found in separate, dedicated brochures, which can be requested from your local retailer or viewed online at [www.gazco.com](http://www.gazco.com).

# Have you considered electric?



*eReflex 75R Inset with Log & Pebble fuel effects.  
Shown with Claremont Limestone mantel*



*eStudio 135R. Shown with optional Mood Lighting Kit.*

In addition to the wide selection of gas fires shown in this brochure, the Stovax Heating Group is pleased to offer a vast portfolio of electric models with superb flame visuals and breath-taking realism that can be controlled from the comfort of your favourite chair.

Offered in a wealth of styling options, these fires feature the very latest technology with realistic flames for a versatile and stunning focal point in any home – all without the need for a chimney!

From our luxury Onyx Avanti electric fire collection, to the versatility of the Gazco eStudio or eReflex ranges, each model can be enjoyed with or without the heat for year-round ambience.

Available in frameless inset options, options to suit matching classic stone mantels, or multi-sided versions, there is a design to suit every home.



For more information, visit [www.gazco.com/electric](http://www.gazco.com/electric), or speak to your local retailer.





onyx

# Your Home and Flue Requirements...

## Conventional Flue

Conventional flue systems are easily recognisable as either a conventional brick or stone chimney, or as a pre-fabricated chimney system. Should your home have neither at present, it is usually possible to have a pre-fabricated system installed in your home if required.



### Brick/Stone Chimney

(Class 1)

The chimney stack rises well above the roofline and is topped by a traditional chimney pot or gas terminal. This type of chimney relies on the natural circulation of heated air to expel the products of combustion up your chimney.



### Pre-fabricated Flues

(Class 1 & 2)

You will see a metal flue cowl on your roof. Some are all metal whilst others may terminate through a short rectangular pot (but without a chimney stack). These flues create the same circulation of heated air as a brick or stone chimney.

## Balanced Flue

Balanced flues work in conjunction with Gazco's Glass Fronted gas fires only. The appliance is completely sealed from the room into which it is installed (so there are no draughts and heating efficiency is increased) and a twin-wall pipe vents directly to an outside wall.



### Balanced Flue

(No chimney required)

Air for combustion is drawn in through the outer pipe whilst the inner pipe removes the combustion gases to the exterior of the property. Depending on the fire selected, the twin-walled pipe may exit horizontally through an external wall or vertically through the roof. Gazco offers a comprehensive range of balanced flue system components. Please refer to our dedicated Concentric Flue System brochure which can be requested from your retailer or viewed online at [www.gazco.com](http://www.gazco.com).

## No Air Vent Required (UK)

All fires shown with this symbol have the advantage of not normally requiring an air vent\*. Please discuss this in full with your local retailer.

\*Requirements in the Republic of Ireland are different.

*Riva2 750HL with Fluted Vermiculite lining and Victorian.  
Corbel Mantel and Hearth in Limestone with matching slip set.*











# Riva2 Summary



Riva2 500HL Slimline Edge with EchoFlame Black Glass lining

						
	Riva2 400	Riva2 500	Riva2 500HL Slimline	Riva2 600	Riva2 600HL	Riva2 750HL
<b>Fuel Bed:</b>						
Realistic Logs	✓	✓	✓	✓	✓	✓
<b>Choice of Linings:</b>						
Brick-effect	X	✓	X	✓	✓	✓
Vermiculite	✓	✓	✓	X	X	X
Fluted Vermiculite	X	X	X	X	X	✓
Black Reeded	✓	✓	✓	X	X	✓
EchoFlame Black Glass	✓	✓	✓	✓	✓	✓
Ledgestone-effect	X	✓	X	✓	✓	✓
<b>Installation Type:</b>						
Hearth Mounted Installation	✓	✓	✓	✓	✓	✓
Wall Installation	✓	✓	✓	✓	✓	✓
<b>Key Features:</b>						
Timer and Thermostat Programmable Remote	✓	✓	✓	✓	✓	✓
Glass Fronted High Efficiency	✓	✓	✓	✓	✓	✓
Natural Gas or LPG	✓	✓	✓	✓	✓	✓
Wide Selection of Frames (see pages 8-9)	✓	✓	✓	✓	✓	✓
Frameless 'Edge' Option	✓	✓	✓	✓	✓	✓
Non-reflective Glass	✓	X	✓	✓	✓	✓
Conventional Flue ODS safety device*	✓	✓	X	✓	✓	✓
Balanced Flue Firebox Relief Venting System <sup>Δ</sup>	X	✓	✓	X	X	✓
Additional air vent required	X	X	X	X	X	✓
Conventional Flue	✓	✓	X	✓	✓	✓
Balanced Flue	X	✓ <sup>◊</sup>	✓	✓	X	✓
Maximum Heat Output	3.80kW	4.90kW	4.60kW	5.70kW	4.60kW	7.00kW
Energy Efficiency Class <sup>#</sup>	C	A	B	A	D	A
Maximum Efficiency <sup>#</sup>	81%	93.9%	86%	92%	76%	92%

\* ODS (Oxygen Depletion Sensor) - This Conventional Flue safety feature will shut off the gas supply to the burner in the event of a reduction to oxygen levels in the room. <sup>Δ</sup> All Gazco Balanced Flue fires have relief vents in the firebox ensuring compliance with EN 613:2001 for delayed ignition safety standards.

<sup>#</sup> Efficiency figures given are based upon the maximum achieved in the options available for each model, for further technical information, please see pages 62 - 69.

# Technical Information

## Riva2 400



### RIVA2 400 FIRE INFORMATION

Product Code	Flue Type	Gas Type	Heat Input	Heat Output	Energy Efficiency Class	Efficiency	Remote Control	Lining	Opening Size (mm)		
									w	h	d
ⓧ <b>134-067</b>	Conventional	Nat. Gas	5.20kW	3.80kW	C	81%	Prog. Thermostatic	Vermiculite	425	560	350
ⓧ <b>134-433</b>	Conventional	LPG	5.10kW	3.80kW	C	81%	Prog. Thermostatic	Vermiculite	425	560	350
ⓧ <b>134-050</b>	Conventional	Nat Gas	5.20kW	3.80kW	C	81%	Prog. Thermostatic	Black Reeded	425	560	350
ⓧ <b>134-424</b>	Conventional	LPG	5.10kW	3.80kW	C	81%	Prog. Thermostatic	Black Reeded	425	560	350
ⓧ <b>134-042</b>	Conventional	Nat. Gas	5.20kW	3.80kW	C	81%	Prog. Thermostatic	Black Glass	425	560	350
ⓧ <b>134-416</b>	Conventional	LPG	5.10kW	3.80kW	C	81%	Prog. Thermostatic	Black Glass	425	560	350

### RIVA2 400 FRAME INFORMATION

Description	Frame Finish	Product Code	Frame Size (mm)		
			w	h	d
Verve XS	Graphite	<b>934-045</b>	617	887	46
Evoke XS Glass	Black Glass front & Graphite rear	<b>934-106</b>	617	617	32
Evoke XS Glass	White Glass front & Graphite rear	<b>934-113</b>	617	617	32
Icon XS	Black Glass	<b>934-120</b>	617	617	17


### RIVA2 400 DIMENSIONS (mm)



### RIVA2 400 OPTIONS

Product Code Description

<b>934-162</b>	Riva2 400 Vermiculite Lining Set
<b>934-153</b>	Riva2 400 Black Reeded Lining Set
<b>934-140</b>	Riva2 400 Black Glass Lining Set
<b>999-620</b>	Remote System Mains Adaptor



Riva2 400 Icon XS with Vermiculite lining

The above information is to assist you in your choice of a suitable Gazco fire. This is not intended to be all the information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at [www.gazco.com](http://www.gazco.com)



# Riva2 500

## FIRE INFORMATION

Product Code	Flue Type	Gas Type	Heat Input	Heat Output	Energy Efficiency Class	Efficiency	Remote Control	Lining	Opening Size (mm)		
									w	h	d
⊗ <b>134-070</b>	Conventional	Nat. Gas	6.4kW	4.4kW	D	76%	Prog. Thermostatic	Black Reeded	560	565	350
⊗ <b>134-796</b>	Conventional	LPG	6.4kW	4.5kW	D	76%	Prog. Thermostatic	Black Reeded	560	565	350
⊗ <b>134-118</b>	Conventional	Nat. Gas	6.4kW	4.4kW	D	76%	Prog. Thermostatic	Vermiculite	560	565	350
⊗ <b>134-784</b>	Conventional	LPG	6.4kW	4.5kW	D	76%	Prog. Thermostatic	Vermiculite	560	565	350
⊗ <b>134-147</b>	Conventional	Nat. Gas	6.4kW	4.4kW	D	76%	Prog. Thermostatic	Brick-effect	560	565	350
⊗ <b>134-756</b>	Conventional	LPG	6.4kW	4.5kW	D	76%	Prog. Thermostatic	Brick-effect	560	565	350
⊗ <b>134-026</b>	Conventional	Nat. Gas	6.4kW	4.4kW	D	76%	Prog. Thermostatic	Black Glass	560	565	350
⊗ <b>134-435</b>	Conventional	LPG	6.4kW	4.5kW	D	76%	Prog. Thermostatic	Black Glass	560	565	350
⊗ <b>134-382</b>	Conventional	Nat. Gas	6.4kW	4.4kW	D	76%	Prog. Thermostatic	Ledgestone-effect	560	565	350
⊗ <b>134-766</b>	Conventional	LPG	6.4kW	4.5kW	D	76%	Prog. Thermostatic	Ledgestone-effect	560	565	350
⊗ <b>134-275</b>	Balanced	Nat. Gas	5.8kW	4.9kW	A	93.9%	Prog. Thermostatic	Black Reeded	560	565	350
⊗ <b>134-447</b>	Balanced	LPG	5.7kW	4.9kW	A	93.9%	Prog. Thermostatic	Black Reeded	560	565	350
⊗ <b>134-308</b>	Balanced	Nat. Gas	5.8kW	4.9kW	A	93.9%	Prog. Thermostatic	Vermiculite	560	565	350
⊗ <b>134-516</b>	Balanced	LPG	5.7kW	4.9kW	A	93.9%	Prog. Thermostatic	Vermiculite	560	565	350
⊗ <b>134-321</b>	Balanced	Nat. Gas	5.8kW	4.9kW	A	93.9%	Prog. Thermostatic	Brick-effect	560	565	350
⊗ <b>134-583</b>	Balanced	LPG	5.7kW	4.9kW	A	93.9%	Prog. Thermostatic	Brick-effect	560	565	350
⊗ <b>134-346</b>	Balanced	Nat. Gas	5.8kW	4.9kW	A	93.9%	Prog. Thermostatic	Black Glass	560	565	350
⊗ <b>134-682</b>	Balanced	LPG	5.7kW	4.9kW	A	93.9%	Prog. Thermostatic	Black Glass	560	565	350
⊗ <b>134-333</b>	Balanced	Nat. Gas	5.8kW	4.9kW	A	93.9%	Prog. Thermostatic	Ledgestone-effect	560	565	350
⊗ <b>134-731</b>	Balanced	LPG	5.7kW	4.9kW	A	93.9%	Prog. Thermostatic	Ledgestone-effect	560	565	350

## FRAME INFORMATION



Description	Frame Finish	Product Code	Frame Size (mm)		
			w	h	d
Icon XS	Black Glass	<b>934-388</b>	855	694	17
Verve XS	Graphite	<b>934-033</b>	890	621	57
Ellingham	Matt Black Cast Iron	<b>934-470</b>	885	678	75
Invoke Glass	Black Glass front/ Graphite rear	<b>934-366</b>	869	710	40
Invoke Glass	White Glass front/ Graphite rear	<b>934-397</b>	869	710	40
Invoke Steel	Graphite front and rear	<b>934-330</b>	869	710	40

† For more Balanced Flue information please refer to our Concentric Flue System brochure which can be viewed at [www.gazco.com](http://www.gazco.com)

## RIVA2 500 OPTIONS

Product Code	Description
<b>934-005</b>	Black Reeded Lining Set - Conventional Flue
<b>934-021</b>	Vermiculite Lining Set - Conventional Flue
<b>934-030</b>	Brick-effect Lining Set - Conventional Flue
<b>934-018</b>	Black Glass Lining Set - Conventional Flue
<b>934-206</b>	Ledgestone-effect Lining Set - Conventional Flue
<b>934-159</b>	Black Reeded Lining Set - Balanced Flue
<b>934-181</b>	Vermiculite Lining Set - Balanced Flue
<b>934-203</b>	Brick-effect Lining Set - Balanced Flue
<b>934-109</b>	Black Glass Lining Set - Balanced Flue
<b>934-219</b>	Ledgestone-effect Lining Set - Balanced Flue
<b>999-620</b>	Remote system mains adaptor
<b>8572</b>	Warm air ducting kit (2 outlets) - Balanced Flue
<b>8509</b>	Balanced flue kit - up and out †
<b>8524</b>	Balanced flue kit - vertical †
<b>999-201</b>	Horizontal Exit terminal guard (required for below 2m) †
<b>928-315</b>	Chimney Renovation Kit

## RIVA2 500 DIMENSIONS (mm)



## CHIMNEY RENOVATION KIT

This innovative addition allows your balanced flue Riva2 500 fire to be installed in an existing fireplace opening with the option of either a single liner using the masonry chimney to bring in air or with two liners. Your retailer will be able to advise on your specific requirements. See page 69 for diagram.



Riva2 500 Ellingham with Black Reeded lining

# Riva2 500HL Slimline

## RIVA2 500HL SLIMLINE FIRE INFORMATION

Product Code	Flue Type	Gas Type	Heat Input	Heat Output	Energy Efficiency Class	Efficiency	Remote Control	Lining	Opening Size (mm)		
									w	h	d
⊗ <b>134-126</b>	Balanced	Nat. Gas	6.00kW	4.60kW	B	86%	Prog. Thermostatic	Vermiculite	565	695	240
⊗ <b>134-499</b>	Balanced	LPG	4.90kW	3.80kW	C	84%	Prog. Thermostatic	Vermiculite	565	695	240
⊗ <b>134-115</b>	Balanced	Nat. Gas	6.00kW	4.60kW	B	86%	Prog. Thermostatic	Black Reeded	565	695	240
⊗ <b>134-481</b>	Balanced	LPG	4.90kW	3.80kW	C	84%	Prog. Thermostatic	Black Reeded	565	695	240
⊗ <b>134-102</b>	Balanced	Nat. Gas	6.00kW	4.60kW	B	86%	Prog. Thermostatic	Black Glass	565	695	240
⊗ <b>134-478</b>	Balanced	LPG	4.90kW	3.80kW	C	84%	Prog. Thermostatic	Black Glass	565	695	240


## RIVA2 500HL SLIMLINE FRAME INFORMATION

Description	Frame Finish	Product Code	Frame Size (mm)		
			w	h	d
Verve XS	Graphite	<b>934-229</b>	890	755	57
Icon XS	Black Glass	<b>934-247</b>	855	828	27
Esprit	Graphite	<b>934-268</b>	746	1211	125

## RIVA2 500HL SLIMLINE OPTIONS


Product Code	Description
<b>934-289</b>	Riva2 500 HL Slimline Balanced Flue Black Reeded Lining Set
<b>934-294</b>	Riva2 500 HL Slimline Balanced Flue Vermiculite Lining Set
<b>934-306</b>	Riva2 500 HL Slimline Balanced Flue Black Glass Effect Lining Set
<b>999-620</b>	Remote System Mains Adaptor

## RIVA2 500HL SLIMLINE DIMENSIONS (mm)





## RIVA2 500HL SLIMLINE ESPRIT SURROUND


When installed into the inner leaf of a cavity wall, the front face of the appliance will require a 75mm (3") rebated surround complete with a finishing slip to house the remaining appliance depth. Alternatively a slim studwork chimney breast could be constructed and the appliance can then either be finished as an "Edge" installation or finished with either the Verve XS or Icon XS fronts. The appliance is also suitable for installation into a cavity wall in conjunction with the Esprit front which will house the remaining depth.



## TYPICAL INSTALLATION FOR ESPRIT SURROUND




## TYPICAL INSTALLATION FOR EDGE, VERVE XS & ICON XS



## REAR EXIT BALANCED FLUE TERMINATION KIT

The Riva2 500HL Slimline comes complete with a specific rear exit balanced flue termination kit (8526) included.

395 x 200 x 200 mm (H x W x D) Guard supplied.  
Cut to length as required on site.



# Riva2 600

## FIRE INFORMATION

Product Code	Flue Type	Gas Type	Heat Input	Heat Output	Energy Efficiency Class	Efficiency	Remote Control	Lining	Opening Size (mm)		
									w	h	d
⊗ <b>134-028</b>	Conventional	Nat. Gas	6.90kW	5.00kW	C	80.5%	Prog. Thermostatic	Black Glass	674	564	350
⊗ <b>134-509</b>	Conventional	LPG	6.50kW	4.80kW	C	80.5%	Prog. Thermostatic	Black Glass	674	564	350
⊗ <b>134-044</b>	Conventional	Nat. Gas	6.90kW	5.00kW	C	80.5%	Prog. Thermostatic	Brick-effect	674	564	350
⊗ <b>134-522</b>	Conventional	LPG	6.50kW	4.80kW	C	80.5%	Prog. Thermostatic	Brick-effect	674	564	350
⊗ <b>134-052</b>	Conventional	Nat. Gas	6.90kW	5.00kW	C	80.5%	Prog. Thermostatic	Ledgestone-effect	674	564	350
⊗ <b>134-542</b>	Conventional	LPG	6.50kW	4.80kW	C	80.5%	Prog. Thermostatic	Ledgestone-effect	674	564	350
⊗ <b>134-104</b>	Balanced Flue	Nat. Gas	6.40kW	5.30kW	A	92%	Prog. Thermostatic	Black Glass	668	646	329
⊗ <b>134-600</b>	Balanced Flue	LPG	6.70kW	5.70kW	A	92%	Prog. Thermostatic	Black Glass	668	646	329
⊗ <b>134-123</b>	Balanced Flue	Nat. Gas	6.40kW	5.30kW	A	92%	Prog. Thermostatic	Brick-effect	668	646	329
⊗ <b>134-625</b>	Balanced Flue	LPG	6.70kW	5.70kW	A	92%	Prog. Thermostatic	Brick-effect	668	646	329
⊗ <b>134-141</b>	Balanced Flue	Nat. Gas	6.40kW	5.30kW	A	92%	Prog. Thermostatic	Ledgestone-effect	668	646	329
⊗ <b>134-647</b>	Balanced Flue	LPG	6.70kW	5.70kW	A	92%	Prog. Thermostatic	Ledgestone-effect	668	646	329

## RIVA2 600 FRAME INFORMATION

Description	Frame Finish	Product Code	Frame Size (mm)		
			w	h	d
Icon XS	Black Glass	<b>934-447</b>	933	668	26
Verve XS	Graphite	<b>934-504</b>	990	685	67
Designio2 Steel	Graphite	<b>934-622</b>	790	603	38
Designio2 Glass	Black Glass	<b>934-649</b>	790	603	41


## RIVA2 600 OPTIONS

### Product Code Description


<b>934-534</b>	Riva2 600 Black Glass Lining Set
<b>934-251</b>	Riva2 600 Brick-effect Lining Set
<b>934-405</b>	Riva2 600 Ledgestone-effect Lining Set
<b>8572</b>	Warm Air Ducting Kit (2 Outlets)
<b>999-620</b>	Remote System Mains Adaptor
<b>928-315</b>	Chimney Renovation Kit

## RIVA2 600 DIMENSIONS (mm)

### Conventional Flue



### Balanced Flue



Riva2 600 Edge with EchoFlame Black Glass lining



# Riva2 600HL

## RIVA2 600HL FIRE INFORMATION

Product Code	Flue Type	Gas Type	Heat Input	Heat Output	Energy Efficiency Class	Efficiency	Remote Control	Lining	Opening Size (mm)		
									w	h	d
⊗ <b>134-330</b>	Conventional	Nat. Gas	7.70kW*	5.30kW	D	76%	Prog. Thermostatic	Brick-effect	671	793	350
⊗ <b>134-674</b>	Conventional	LPG	6.60kW	4.60kW	D	76%	Prog. Thermostatic	Brick-effect	671	793	350
⊗ <b>134-343</b>	Conventional	Nat. Gas	7.70kW*	5.30kW	D	76%	Prog. Thermostatic	Ledgestone-effect	671	793	350
⊗ <b>134-685</b>	Conventional	LPG	6.60kW	4.60kW	D	76%	Prog. Thermostatic	Ledgestone-effect	671	793	350
⊗ <b>134-324</b>	Conventional	Nat. Gas	7.70kW*	5.30kW	D	76%	Prog. Thermostatic	Black Glass	671	793	350
⊗ <b>134-661</b>	Conventional	LPG	6.60kW	4.60kW	D	76%	Prog. Thermostatic	Black Glass	671	793	350

\* Riva2 600HL NG: 7.7kW is the gross input figure. The net input of the product is 6.9kW and does not normally require any addition purpose provided ventilation or modification to the building in order to provide extra air circulation as a result of installing this product.

## RIVA2 600HL FRAME INFORMATION

Description	Frame Finish	Product Code	Frame Size (mm)		
			w	h	d
Verve XS	Graphite	<b>934-702</b>	990	915	64
Evoke XS Glass	Black Glass front & Graphite rear	<b>934-734</b>	926	889	32
Icon XS	Black Glass	<b>934-715</b>	933	898	17


## STONE MANTEL INFORMATION

Claremont (requires slip set)	Antique White Marble	<b>9002CLWM</b>	1555	1143	190
Claremont (requires slip set)	Limestone	<b>9002CLTL</b>	1555	1143	190
Cavendish Bolection (requires slip set)	Antique White Marble	<b>9000CAWM</b>	1460	1320	207
Cavendish Bolection (requires slip set)	Limestone	<b>9000CATL</b>	1460	1320	207
Georgian Roundel (requires slip set)	Antique White Marble	<b>9001GEWM</b>	1460	1082	200
Georgian Roundel (requires slip set)	Limestone	<b>9001GETL</b>	1460	1082	200
Grafton (requires slip set)	Antique White Marble	<b>9003GRWM</b>	1415	1165	105
Grafton (requires slip set)	Limestone	<b>9003GRTL</b>	1415	1165	105
Victorian Corbel (requires slip set)	Antique White Marble	<b>9004VIWM</b>	1525	1170	250
Victorian Corbel (requires slip set)	Limestone	<b>9004VITL</b>	1525	1170	250
Sandringham (requires slip set)	Antique White Marble	<b>9005SAWM</b>	1550	1220	227
Sandringham (requires slip set)	Limestone	<b>9005SATL</b>	1550	1220	227
Slip set for Stone Mantel	Antique White Marble	<b>934-804</b>	N/A	N/A	N/A
Slip set for Stone Mantel	Limestone	<b>934-783</b>	N/A	N/A	N/A
Small Hearth for Stone Mantel	Antique White Marble	<b>934-241</b>	1524	53	228
Small Hearth for Stone Mantel	Limestone	<b>934-193</b>	1524	53	228
Large Hearth for Stone Mantel	Antique White Marble	<b>934-489</b>	1625	53	457
Large Hearth for Stone Mantel	Limestone	<b>934-351</b>	1625	53	457

## RIVA2 600HL OPTIONS

Product Code	Description
<b>934-572</b>	Riva2 600HL Conventional Flue Brick Effect Lining Set
<b>934-588</b>	Riva2 600HL Conventional Flue Ledgestone Lining Set
<b>934-591</b>	Riva2 600HL Conventional Flue Black Glass Lining Set
<b>999-620</b>	Remote System Mains Adaptor

## RIVA2 600HL DIMENSIONS (mm)



# Riva2 750HL

## FIRE INFORMATION

Product Code	Flue Type	Gas Type	Heat Input	Heat Output	Energy Efficiency Class	Efficiency	Remote Control	Lining	Opening Size (mm)		
									w	h	d
<b>134-089</b>	Conventional flue	Nat. Gas	8.70kW	6.30kW	C	81%	Prog. Thermostatic	Black Reeded	816	885	350
<b>134-489</b>	Conventional flue	LPG	9.20kW	6.90kW	C	81%	Prog. Thermostatic	Black Reeded	816	885	350
<b>134-113</b>	Conventional flue	Nat. Gas	8.70kW	6.30kW	C	81%	Prog. Thermostatic	Fluted Vermiculite	816	885	350
<b>134-501</b>	Conventional flue	LPG	9.20kW	6.90kW	C	81%	Prog. Thermostatic	Fluted Vermiculite	816	885	350
<b>134-139</b>	Conventional flue	Nat. Gas	8.70kW	6.30kW	C	81%	Prog. Thermostatic	Brick-effect	816	885	350
<b>134-528</b>	Conventional flue	LPG	9.20kW	6.90kW	C	81%	Prog. Thermostatic	Brick-effect	816	885	350
<b>134-020</b>	Conventional flue	Nat. Gas	8.70kW	6.30kW	C	81%	Prog. Thermostatic	Black Glass	816	885	350
<b>134-632</b>	Conventional flue	LPG	9.20kW	6.90kW	C	81%	Prog. Thermostatic	Black Glass	816	885	350
<b>134-039</b>	Conventional flue	Nat. Gas	8.70kW	6.30kW	C	81%	Prog. Thermostatic	Ledgestone-effect	816	885	350
<b>134-561</b>	Conventional flue	LPG	9.20kW	6.90kW	C	81%	Prog. Thermostatic	Ledgestone-effect	816	885	350
<b>134-033</b>	Balanced flue	Nat. Gas	8.40kW	7.00kW	A	92%	Prog. Thermostatic	Black Reeded	816	885	380
<b>134-421</b>	Balanced flue	LPG	8.20kW	6.90kW	A	92%	Prog. Thermostatic	Black Reeded	816	885	380
<b>134-047</b>	Balanced flue	Nat. Gas	8.40kW	7.00kW	A	92%	Prog. Thermostatic	Fluted Vermiculite	816	885	380
<b>134-439</b>	Balanced flue	LPG	8.20kW	6.90kW	A	92%	Prog. Thermostatic	Fluted Vermiculite	816	885	380
<b>134-059</b>	Balanced flue	Nat. Gas	8.40kW	7.00kW	A	92%	Prog. Thermostatic	Brick-effect	816	885	380
<b>134-466</b>	Balanced flue	LPG	8.20kW	6.90kW	A	92%	Prog. Thermostatic	Brick-effect	816	885	380
<b>134-084</b>	Balanced flue	Nat. Gas	8.40kW	7.00kW	A	92%	Prog. Thermostatic	Black Glass	816	885	380
<b>134-495</b>	Balanced flue	LPG	8.20kW	6.90kW	A	92%	Prog. Thermostatic	Black Glass	816	885	380
<b>134-076</b>	Balanced flue	Nat. Gas	8.40kW	7.00kW	A	92%	Prog. Thermostatic	Ledgestone-effect	816	885	380
<b>134-480</b>	Balanced flue	LPG	8.20kW	6.90kW	A	92%	Prog. Thermostatic	Ledgestone-effect	816	885	380

## RIVA2 750HL FRAME INFORMATION

Description	Frame Finish	Product Code	Frame Size (mm)		
			w	h	d
Verve XS	Graphite	<b>934-213</b>	1202	1005	57
Evoke Glass	Black Glass front & Graphite rear	<b>934-245</b>	1117	1034	42
Evoke Glass	White Glass front & Graphite rear	<b>934-264</b>	1117	1034	42
Evoke Steel	Graphite front & rear	<b>934-281</b>	1117	1034	42
Icon XS	Black Glass	<b>934-371</b>	1089	1015	17

## CHIMNEY RENOVATION KIT


This innovative addition allows your balanced flue Riva2 750HL fire to be installed in an existing fireplace opening with the option of either a single liner using the masonry chimney to bring in air or with two liners. Your retailer will be able to advise on your specific requirements. See page 77 for diagram.

## RIVA2 750HL OPTIONS


Product Code	Description
<b>934-011</b>	CF Black Reeded Lining Set
<b>934-053</b>	CF Fluted Vermiculite Lining Set
<b>934-060</b>	CF Brick-effect Lining Set
<b>934-226</b>	CF Black Glass Lining Set
<b>934-284</b>	CF Ledgestone-effect Lining Set
<b>934-037</b>	BF Black Reeded Lining Set
<b>934-062</b>	BF Fluted Vermiculite Lining Set
<b>934-077</b>	BF Brick-effect Lining Set
<b>934-091</b>	BF Black Glass Lining Set
<b>934-086</b>	BF Ledgestone-effect Lining Set
<b>999-620</b>	Remote System Mains Adaptor
<b>928-315</b>	Chimney Renovation Kit

## RIVA2 750HL DIMENSIONS (mm)

### Conventional Flue



### Balanced Flue



# Stone Mantels

## STONE MANTEL INFORMATION

Product Code	Description	Frame Finish	w	h	d
9002CLWM	Claremont (requires slip set)	Antique White Marble	1555	1143	190
9002CLTL	Claremont (requires slip set)	Limestone	1555	1143	190
9000CAWM	Cavendish Bolection (requires slip set)	Antique White Marble	1460	1320	207
9000CATL	Cavendish Bolection (requires slip set)	Limestone	1460	1320	207
9001GEWM	Georgian Roundel (requires slip set)	Antique White Marble	1460	1082	200
9001GETL	Georgian Roundel (requires slip set)	Limestone	1460	1082	200
9003GRWM	Grafton (requires slip set)	Antique White Marble	1415	1165	105
9003GRTL	Grafton (requires slip set)	Limestone	1415	1165	105
9004VIWM	Victorian Corbel (requires slip set)	Antique White Marble	1525	1170	250
9004VITL	Victorian Corbel (requires slip set)	Limestone	1525	1170	250
9005SAWM	Sandringham (requires slip set)	Antique White Marble	1550	1220	227
9005SATL	Sandringham (requires slip set)	Limestone	1550	1220	227

## HEARTH INFORMATION

934-241	Small Hearth for Stone Mantel	Antique White Marble	1524	53	228
934-193	Small Hearth for Stone Mantel	Limestone	1524	53	228
934-489	Large Hearth for Stone Mantel	Antique White Marble	1625	53	457
934-351	Large Hearth for Stone Mantel	Limestone	1625	53	457

## RIVA2 600HL SLIP SETS INFORMATION


934-804	Slip set for Riva2 600HL Stone Mantel	Antique White Marble	N/A	N/A	N/A
934-783	Slip set for Riva2 600HL Stone Mantel	Limestone	N/A	N/A	N/A

## RIVA2 750HL SLIP SETS INFORMATION

934-790	Slip set for Riva2 750HL Stone Mantel	Antique White Marble	N/A	N/A	N/A
934-121	Slip set for Riva2 750HL Stone Mantel	Limestone	N/A	N/A	N/A

## SMALL & LARGE STONE HEARTH


Gazco's selection of beautiful stone hearths include either small or large sizes in both Antique White Marble and Limestone options. The large size is styled with a stepped edge design whilst the small has a flush finish.



# Balanced Flue Options


Gazco offers a comprehensive range of balanced flue system components. Please refer to our dedicated Concentric Flue System brochure which can be requested from your retailer or viewed online at [www.gazco.com](http://www.gazco.com).

Vertical from the top of the appliance then horizontally out




Riva2 500

Vertical from the top of the appliance then horizontally out



Riva2 750HL Nat Gas & LPG

Vertical from the top of the appliance




Riva2 500 Evoke Glass with White Glass front and Brick-effect lining



# Chimney Renovation Kit For Riva2 500, 600 & 750HL

This innovative addition allows your balanced flue Riva2 500, 600 or 750HL fire to be installed in an existing fireplace opening with the option of either a single liner using the masonry chimney to bring in air or with two liners. Your retailer will be able to advise on your specific requirements.




# WIN the cost of your product back!\*

For further home inspiration you can **view real life installations** at our Customer Showcase page and share your thoughts and photos of your new stove or fire installation to enter our draw!

- We will publish your entry on our Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back
- **Gain a second entry** by registering your product online for your free extended warranty at [gazco.com/registration](http://gazco.com/registration)



"It creates a fabulous cosy feel in the winter"




**PREVIOUS WINNER!**  
"Not only do I have a wonderful product, but they refunded the cost - in full!"



"So pleased we chose this gas alternative to a log burning stove"



Instagram - the\_monochrome\_stylist  
"It's so easy to start up, with a press of a button!"



"Perfect for those cosy nights in"

View real life installations and submit your review at

## [gazco.com/customershowcase](http://gazco.com/customershowcase)

\* Terms and conditions apply. See online for details



# Important Information

## Technical Specifications

All specifications given in this brochure are approximate. Actual specifications for each individual product will vary according to model. Your Gazco retailer will be pleased to provide any further information you require. Alternatively you may view or download specification sheets from [www.gazco.com](http://www.gazco.com)

## Installation and Safety

Gazco gas fires must be fitted by a qualified gas installer (Gas Safe registered in the United Kingdom or RGII registered in the Republic of Ireland) who should also verify the proposed site conditions are fully suitable for the product selected. Complete installation instructions for many models can be obtained prior to purchase by viewing or downloading them from [www.gazco.com](http://www.gazco.com). Please note that all parts of these fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.

## Colours/Flame pictures

Owing to variations in studio lighting and printing inks, the finishes/colours of fires illustrated in this brochure may differ slightly from actual models. Before purchasing, please ask your retailer to show you finish/colour samples. Whilst all the flame pictures shown in this brochure are of actual fires, flame pictures may vary depending on the installation, flue conditions and geographical/surrounding features that may effect the efficiency of the flue.

## Care and maintenance

Traditional materials, such as polished steel and brass, tarnish on contact with air, especially when also exposed to heat. To help minimise this effect, we recommend fires receive regular treatment with suitable proprietary cleaners. Additionally, please remember that gas fires will require servicing annually by a qualified gas installer Gas Safe registered in the United Kingdom or Bord Gáis registered in the Republic of Ireland).

## Warranty and Product Improvement

Your Gazco Expert Retailer will provide you with a Two Year Warranty for your new gas fire. This can be extended to a Five Year Warranty provided your fire has been registered with Gazco. The second and subsequent years are dependant on the appliance being serviced 12 months after installation and annually thereafter and exclude certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard 1 Year Non-Extendable Warranty, or minimum statutory warranty for your country. Full warranty terms and conditions are available to view at [www.gazco.com](http://www.gazco.com).



Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

## Air Ventilation for Gas Fires

To comply with gas appliance installation regulations, the Riva2 750HL conventional flue requires additional ventilation into your room. For further information, please consult either your Gazco retailer or the Gazco Technical Information on our website [www.gazco.com](http://www.gazco.com) to confirm the ventilation required. All other fires featured in this brochure do not require additional ventilation.

Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

**Furnishings and Ornaments:-** [www.amara.com](http://www.amara.com); [www.cultfurniture.com](http://www.cultfurniture.com); [www.furniturevillage.co.uk](http://www.furniturevillage.co.uk); [www.johnlewis.com](http://www.johnlewis.com); [www.lauraashley.com](http://www.lauraashley.com); [www.theorangetree.co.uk](http://www.theorangetree.co.uk); [www.habitat.co.uk](http://www.habitat.co.uk); [www.houseoffraser.co.uk](http://www.houseoffraser.co.uk); [www.loaf.com](http://www.loaf.com); [www.sofarooms.co.uk](http://www.sofarooms.co.uk); [www.tomraffield.com](http://www.tomraffield.com); [www.nkuku.com](http://www.nkuku.com); [www.ashorejewellery.co.uk](http://www.ashorejewellery.co.uk); [www.electique.co.uk](http://www.electique.co.uk); [www.debenhams.com](http://www.debenhams.com); [www.next.co.uk](http://www.next.co.uk); [www.mokodirect.co.uk](http://www.mokodirect.co.uk); [www.marksandspencer.com](http://www.marksandspencer.com); [www.rocketststgeorge.co.uk](http://www.rocketststgeorge.co.uk); [www.birlea.com](http://www.birlea.com); [www.frenchconnection.com](http://www.frenchconnection.com); [www.wayfair.co.uk](http://www.wayfair.co.uk); [www.urbanoutfitters.com/uk](http://www.urbanoutfitters.com/uk); [www.tkmaxx.com](http://www.tkmaxx.com); [www.homesense.com](http://www.homesense.com); [www.next.co.uk](http://www.next.co.uk); [www.coxandcox.co.uk](http://www.coxandcox.co.uk); [www.urbanara.co.uk](http://www.urbanara.co.uk); [www.amtico.com](http://www.amtico.com); [www.lpdfurniture.co.uk](http://www.lpdfurniture.co.uk); [www.opiesuk.co.uk](http://www.opiesuk.co.uk); [www.graceandgloryhome.co.uk](http://www.graceandgloryhome.co.uk); [www.chunkymonkeyfurniture.co.uk](http://www.chunkymonkeyfurniture.co.uk); [www.desenio.co.uk](http://www.desenio.co.uk) • **Lighting:-** [www.amoslighting.co.uk](http://www.amoslighting.co.uk) • **Wood Mantels:-** [www.stovax.com](http://www.stovax.com) **Stone Mantels:-** [www.farmington.co.uk](http://www.farmington.co.uk); [www.bnsp.co.uk](http://www.bnsp.co.uk); [www.grandissson.com](http://www.grandissson.com); [www.rudloe-stone.com](http://www.rudloe-stone.com) **Wood flooring:-** [www.beechbros.co.uk](http://www.beechbros.co.uk) • **Tiles & Stone floors:-** [www.originalstyle.com](http://www.originalstyle.com); [www.wallsandfloors.co.uk](http://www.wallsandfloors.co.uk) • **Plants:-** [www.stbridgetnurseryseries.co.uk](http://www.stbridgetnurseryseries.co.uk); [www.urbanandruralplants.co.uk](http://www.urbanandruralplants.co.uk)





Gazco Limited, Osprey Road, Sowton Industrial Estate,  
Exeter, Devon, England EX2 7JG

#### Trade Sales

Tel: 01392 261999 • NI: 01392 261990

Email: [info@gazco.com](mailto:info@gazco.com) • NI: [northernireland@gazco.com](mailto:northernireland@gazco.com)

#### Export Sales

Tel: +44 1392 261990 • Email: [exportsales@gazco.com](mailto:exportsales@gazco.com)

[gazco.com](http://gazco.com)   

## Find Your Retailer

You can find your nearest retailer by visiting:  
[www.gazco.com/retailers](http://www.gazco.com/retailers)



Your Gazco stockist:

Brochure ref: GAZC 0422



Paper sourced from sustainable forests and printed using vegetable based inks

© All material copyright Gazco Limited 2022 | E & O E  
A member of the Stovax Group



*Riva2 750HL Edge with Brick-effect lining and  
Claremont Mantel and slip sets Antique White Marble*