ELECTRIC STOVES AND FIRES

GAZCO

MULTI AWARD WINNER

COLUMN T

NETRUX Data State

Mine of Phase

a warm welcome

It's never been easier to get the warm inviting atmosphere of a real flame fire with all the convenience, versatility and efficiency of electricity.

Using the latest flame-effect technology, Gazco has created a beautiful range of stoves and fires that provide a versatile and stunning focal point for any home – and all without the need for a chimney!

Whether you want to achieve a modern, contemporary look or a more classic, traditional interior, this brochure will help you make the right choice for your home.







Sheraton 5 Electric with Log & Pebble fuel effect on Amber flame setting. Shown with Grafton Limestone mantel







eReflex 195RW with Oak Log-effect, shown as single-sided installation. Also shown: optional Mood Lighting system.

Front Cover Images; Left; Chesterfield 5 Electric. Right; eReflex 150RW with Oak Log-effect, shown as three-sided installation. Also shown: optional Mood Lighting system.

contents

Complete Peace of Mind04	
Creative Control05	

Traditional Electric Stoves

Chesterfield	06 - 07
Sheraton	
Stockton	10 - 11
Marlborough2	
Huntingdon	14 - 15

Contemporary Electric Stoves

Vogue Midi	16	-	17
Vogue Midi T	18	-	19
Yeoman CL Stoves	20	-	21
Liberty 85	22	-	23

eReflex Electric Fires24 - 35

Riva2 670 Electric Fires	36 - 41
Riva2 670 Verve XS	37
Riva2 670 Designio2	38 - 39
Riva2 670 Evoke	40 - 41

Logic2 Electric Fires	.42 - 51
Logic2 Arts	.44 - 45
Logic2 Chartwell	.46 - 47
Logic2 Wave	.48 - 49
Logic2 Progress	.50 - 51

Technical Information......52 - 55

Stove Benches	56
eStudio Electric Fires	57
Onyx Avanti Electric Fires	58 - 59

complete peace of mind

the gazco pedigree

When you choose Gazco, quality and technology are assured. From contemporary hang on the wall fires to traditional stoves, Gazco are committed to creating the ultimate in flame effect fires. Our research and development laboratories are amongst the most advanced in the industry, ensuring that the very latest innovations are incorporated into our products.

Gazco is part of the Stovax Group. We offer a prestigious product range, which includes everything from the traditional to the ultra-contemporary in a wide array of styles and sizes. Whether your choice is solid fuel, gas, or electric you can be sure to find a stove or fireplace from our range to add the perfect warmth and character to your home. Full details of the Stovax Group's range of products can be found at: **www.stovax.com**

Gazco is an ISO9001 and ISO14001 accredited company. Our rigorous quality control system ensures that all our appliances are safety checked and that they comply with the appropriate regulations, with all fires in this brochure bearing the UKCA and CE mark. Similarly, our environmental management systems ensure we work in a sustainable manner, whilst endeavouring to protect the environment by minimising any possible impact from our operations.

warranty information

Your Gazco retailer will provide you with a Two Year Warranty for your new electric fire providing it is registered with Gazco. Please note this warranty excludes certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard One Year Non-Extendable Warranty, or minimum statutory warranty for your country. Full warranty details, terms and conditions are available at: **www.gazco.com**

expert retailer network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you will enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements covering both technical issues and design, to ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

In addition, Gazco fires purchased from within our Expert Retailer Network will have the additional benefit of an extended warranty period, subject to terms and conditions. Full details can be found at: **www.gazco.com**

find your local retailer



You can find your nearest expert retailer by visiting: www.gazco.com/retailers



UK

IA

We are proud to have been recognised as an award-winning manufacturer, for our high-quality products and innovative technology. Find out more at **gazco.com/awards**



Steel effect frame, and Grey

Pebble fuel bed on Amber

flame setting.

by registering your product online for your free extended warranty. See page 56 for details.

creative control

All Gazco electric fires and stoves come with a Programmable Thermostatic Eco Remote Control. This easy-to-use handset gives you full control over a host of features, including temperature control as well as visuals.

flame options

Choose from Amber, Blue^{**} or a combination depending on your mood, with five brightness settings for each colour.

chromalight fuel bed lighting

Choose from 13 vibrant Chromalight LED fuel bed colours on electric stoves and fires, or 8 for the eReflex RW range*. For added wow-factor, opt for a gradually changing spectrum of each.

thermostatic ambient heating

Set the optimum temperature for your room between 15°C and 25°C. The fire or stove will use its thermostat to manage heating power, reaching the desired temperature as efficiently as possible.

comfort temperature

Eco and Comfort settings allow you to adjust the thermostat by a further +/- 4°C for greater temperature control.

daily and weekly heating

Fires and stoves can be programmed to provide heat at certain times of the day or week, using the handset's Daily and Weekly Timer function.

heating advance mode

Heating cycles can be easily delayed or advanced if desired, without disrupting daily or weekly programming.

*Available on electric stoves only. Also available on eStudio fires, shown on page 57.

adaptive start control

Advanced thermostat technology allows the fire or stove to turn on up to 45 minutes in advance of a scheduled time to ensure the room is at the right temperature, when you want it to be.

open window detection

To save energy, a sudden drop in room temperature of 4°C due to an open window or door will cause the fire or stove to stop heating the room. Heating can be easily resumed by pressing the heat button again or closing the window.

Gazco's energy saving features ensure all models comply with stringent Ecodesign energy product standards.

app control

Gazco New Generation eReflex RW Fires also feature full app control! Available on iOS and Android devices, this app gives you complete access to all the features of your fire straight from your own phone or tablet.







Download the app using the QR code, or search for MusFlame on the App Store.

gazeo.com/electricupp




Pebble fuel effect on Amber flame setting

chesterfield 5 electric



View the Video at www.gazco.com/chesterfieldelectric



Elegantly styled, yet decidedly sophisticated, the Chesterfield 5 Electric combines designer looks with traditional aesthetics. For unparalleled authenticity, the Chesterfield 5 features the same cast iron and heavy gauge steel construction used in its woodburning and gas versions. Inside, this advanced electric stove creates a superb flame picture thanks to the Chromalight technology and interchangeable, highly realistic log effects.

Finish Matt Black

Heat Output 0.75 - 1.50kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds Log & Pebble effect Crystal Ice effect

472 x 614 x 391

Dimensions w x h x d (mm)

Programmable Thermostatic Eco Remote Control

1

6



sheraton 5 electric



View the Video at www.gazco.com/sheratonelectric



The Sheraton 5 Electric stove brings style, elegance, and remarkably realistic flame visuals to any interior. Cast iron bevelling and cornicing to the door, top plate and base give this stove a classic but timeless appearance that will suit modern and traditional settings alike.

Featuring a choice of fuel effects alongside our Chromalight® Immersive LED systems, the Sheraton 5 Electric gives you a variety of display options that can be mixed and matched to create a bespoke focal point.

Finish Matt Black

Heat Output 0.75 - 1.50kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm) 458 x 614 x 371

stockton electric



With their cast iron doors and heavy gauge steel bodies, Stockton stoves combine the classic looks of a woodburning stove with the ease and convenience of electric.

Featuring our advanced Chromalight[®] technology, the Stockton's flame effects are projected among the fuel bed for a three-dimensional visual, whilst the various fuel effect options are lit from above and below for increased realism. The range of LED colour settings and interchangeable fuel bed options gives you the freedom to tailor your stove's visuals to suit your mood.

Finish

Matt Black

Heat Output 1.00kW - 2.00kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent Interchangeable Fuel Beds Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm) Stockton2 Small: 438 x 525 x 338 Stockton 5: 481 x 544 x 337 Stockton2 Medium: 601 x 616 x 412



marlborough2 electric



Marlborough2 Small Electric with Log & Pebble fuel effect on Amber flame setting

Country or city, traditional or contemporary, the innovative Marlborough2 Electric has the flexibility to suit your lifestyle and your décor. With their expansive viewing windows, enjoy the warming flame visuals with or without the heat from the comfort of your sofa.

Finish Matt Black

> Heat Output 1.00 - 2.00kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm) Small: 429 x 533 x 280 Medium: 600 x 583 x 380



huntingdon electric



The fine castings of the Huntingdon Electric range are brought alive with Gazco's Chromalight® technology, with each size offered in either clear door or tracery door versions.

Finish Matt Black

> **Door Choice** Tracery Door Clear Door

Heat Output 1.00 - 2.00kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm)

20: 413 x 536 x 324 **30:** 560 x 592 x 351 **40:** 641 x 653 x 397

Programmable Thermostatic


Eco Remote Control

A CATCO



Huntingdon 40 Electric with Clear Door in Matt Black with Log & Pebble fuel effect on Amber flame setting. Shown with Claremont Limestone Mantel.

vogue midi electric



The Vogue Midi is offered in two models including the taller Midline version, which can be stacked with logs to enhance the wood burner aesthetic. Our Chromalight® Immersive LED technology lets you control flame and ember bed lighting effects to create the perfect ambience in virtually any part of the home, with a choice of fuel effects that can be mixed and matched.

The Vogue Midi is compatible with our range of stove benches, for more information see page 56.

Finish Matt Black

> Heat Output 0.75 - 1.50kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm) Midi: 416 x 639 x 348 Midi Midline: 416 x 791 x 348



vogue midit electric





The stylish Vogue Midi T range comprises a collection of tall contemporary stoves. All Vogue Midi T stoves feature windows on either side of the stove body to supplement the large front window, ensuring the display is visible from almost any angle in the room.

The Vogue Midi T can be selected as a plinth-mounted stove or in Midline log store versions. Alternatively, a statement wall-hung model creates a floating installation for a strikingly modern look. The Vogue Midi T can be enhanced with our range of stove benches, for more information see page 56.

Finish Matt Black

Heat Output 0.75 - 1.50kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent Interchangeable Fuel Beds Log & Pebble effect Crystal Ice effect

Dimensions w x h x d (mm)

Midi T Midline: 418 x 928 x 349

Midi T: 418 x 776 x 349

Programmable Thermostatic Eco Remote Control

6

Midi T Wall Mounted : 416 x 776 x 348 (360*) *360mm is depth with wall mounted bracket.







Vogue Midi T Electric with Log & Pebble fuel effects on Amber with Blue accent flame setting

19

CL8 Electric with Log & Pebble fuel effect on Amber flame mounted on 100 Low Bench



CL electric



Effortlessly bridging the gap between modern and traditional stove design, the CL Electric range balances simplicity with subtle details. CL electric stoves feature our remote controlled Chromalight LED lighting systems for extraordinarily realistic flame and ember visuals, with an assortment of fuel effects to choose from. Choose from three stove sizes to complement your home, each featuring a high quality cast iron and steel construction. CL stoves can be further enhanced with our stove benches shown on page 56.

Finish

Matt Black

Heat Output 1.00 – 2.00kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent Interchangeable Fuel Beds Log & Pebble effect Crystal Ice Effect

Dimensions w x h x d (mm) CL3: 371 x 541 x 313 CL5: 416 x 552 x 333 CL8: 553 x 604 x 374

Programmable Thermostatic Eco Remote Control

6



liberty 85 electric









Designed to make a statement, the Liberty 85 Electric stove combines bold design language, advanced technologies, and a range of customisable options. Chromalight technology projects vivid flame visuals among the glowing fuel bed for a deep, three-dimensional display. Two sophisticated finishes along with a selection of mounting options give you the freedom to choose the Liberty 85's look. Choose from either black or white front finishes, along with matching Plinth and Bench mounts to elevate this designer electric stove. The Liberty 85 can also be combined with a number of our Stove Benches shown overleaf and on page 56. Additional images shown on page 56.

Finish

Black or White

Heat Output 1.00 – 2.00kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds Log & Pebble effect Crystal Ice effect

Programmable Thermostatic Eco Remote Control

Dimensions w x h x d (mm) Liberty 85: 1110 x 596 x 300 Liberty 85 with matching Plinth: 1305 x 649 x 585

Liberty 85 with matching curved Bench: 1350 x 896 x 396

eReflex RW new generation



versatile installation options your eReflex Fireside comfort come rain or shine - the new generation eReflex Single-sided range effortlessly combines adaptability with convenient heat. eReflex 75RW The eReflex is available in two square and five landscape sizes, eReflex 55RW Two-sided corner allowing you to find the perfect fit to create a statement centrepiece eReflex 85RW 955 V U-790 V Din your home. All sizes of eReflex are easily configurable as onesided, two-sided, or three-sided fires, Three-sided Panoramic immersive lighting system eReflex fires use Gazco's Chromalight lighting system to create a mesmerising display eReflex 135RW eReflex 110RW 1105 x H·380 x D·179 1355 x H: 380 x D:17 with almost endless possibilities. Vivid flame effects are projected to appear amongst

the fuel bed for a deep, three-dimensional display and can be set to natural amber, striking blue or even a combination of the two. Each flame colour is enhanced with downlighting, bathing the fuel bed in your choice of warming amber or cool white, for a truly immersive visual. Eight fuel bed lighting colours illuminate the fuel effects from below, providing relaxing, mood-enhancing ambience. Fuel bed lighting can also transition through each vivid colour for a gradually changing spectrum, providing the ultimate wow factor.

optional mood lighting system

An optional mood lighting system lets you enhance your space, with up to 6 metres of LED lighting for accompanying shelves or around your TV. This kit offers 13 different lighting colours plus a gradually changing spectrum mode to complement your fire, or even your home's décor.



eReflex 150RW L: 1505 x H:555 x D:175



eReflex 195RW L: 1955 x H: 380 x D:175





key features

- Can be easily configured as a three-sided, two-sided, or single-sided fire
- Chromalight® LED System
- Comes with life-like Oak Log effect, or the alternative Crystal Ice effect
- Pulsing glowing embers for realism
- Three flame colour choices including amber, amber with blue accent, and blue
- Downlighting illuminates fuel effects with lighting to complement flames
- Eight fuel bed lighting colours, plus cycling spectrum mode
- Programmable Thermostatic Eco Remote Control
- App control on iOS & Android devices
- Up to 2kW programmable heating
- Ecodesign Energy Saving Features
- Optional Mood Lighting System
- Flames can be enjoyed with or without the heat





eReflex 195RW with Oak Log-effect, shown as two-sided installation

Gauco



View the full brochure by visiting gazco.com/brochures



eReflex 135RW with log Fuel Effect Shown as Inset Installation



View the Video at www.gazco.com/ereflexrw



A LANGER



View the full brochure by visiting gazco.com/brochures

eReflex RW - ambience on command



The eReflex's app control function puts a range of visual and heating capabilities in the palm of your hand. With a simple swipe of your Android or IOS device, you can personalise your fireside experience.

Finer Tuning

The app displays all settings clearly on your smart phone or tablet, giving you precision control over the fire's Chromalight® LED systems. Lighting settings are easily adjustable thanks to the app's slider controls.

Programmable thermostatic heating and flame visuals

With the app, you have the added functionality of being able to easily program your fire to provide different heating schedules. Create up to four daily heating schedules to suit your lifestyle, with room to save up to three weekly programs.

See additional images on page 3 and front cover. For detailed technical information see page 54.

Lighting and Heat Timer

On the app, the eReflex's heat and lighting functions can be set to turn on according to a timer, independently from each other. Set a time to switch on the heat, or opt for the lighting effects alone for a fireside glow in the warmer months without the heat output. The eReflex range is also controllable via the Eco Remote Control.

Download the app by searching for MusFlame on the App Store or visit gazco.com/electricapp

View the eReflex New Generation Brochure by scanning the QR code or visiting gazco.com/brochures








n as 3 Sided Installation

eReflex 55RW & 75RW electric





- Choice of fuel effects including life-like
 Oak Log, or alternative Crystal Ice
- Three flame colour choices: amber, amber with blue accent, and blue
- Downlighting illuminates fuel effect with lighting to complement flames
- Eight fuel bed lighting colours, plus cycling spectrum mode

- Programmable Thermostatic Eco Remote Control plus app control on iOS and Android devices
- Flames and lighting can be enjoyed with or without the heat
- Optional Mood Lighting System
- Compatible with Gazco stone mantels**

Heat Output 1.00-2.00kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent Interchangeable Fuel Beds Log effect Crystal Ice

Dimensions w x h x d (mm) eReflex 55RW: 555 x 555 x 175* eReflex 75RW: 755 x 755 x 175*

🔾 🈓 🧶

Control

Programmable

Thermostatic

Eco Remote

*Dimensions in mm given are those overall visible upon installation. For technical information, see page 54.

For information on the remote control features see page 5.

eReflex 75RW with Log Effect, installed as a two-sided fire shown with optional mood lighting system








eReflex 85RW with Oak Log-effect shown as two-sided installation

30

eReflex 85RW & 110RW electric





- Choice of fuel effects including life-like
 Oak Log, or alternative Crystal Ice
- Three flame colour choices: amber, amber with blue accent, and blue
- Downlighting illuminates fuel effect with lighting to complement flames
- Eight fuel bed lighting colours, plus cycling spectrum mode

- Programmable Thermostatic Eco Remote Control plus app control on iOS and Android devices
- Flames and lighting can be enjoyed with or without the heat
- Optional Mood Lighting System
- Media wall compatible**

Heat Output 1.00-2.00kW

(or flame effect only)

Flame Visual Settings

Amber, Blue, or Amber with Blue accent

Interchangeable Fuel Beds Log effect Crystal Ice

Dimensions w x h x d (mm)

eReflex 85RW: 855 x 380 x 175* eReflex 110RW: 1105 x 380 x 175*



Control

Programmable

Thermostatic

Eco Remote

**See page 54 for information on media walls

For information on the remote control features see page 5.

For technical information, see page 54.

*Dimensions in mm given are those overall visible upon installation.

eReflex 135RW & 150RW electric IM View the Video WWW.gazco.com/ereflexrw



- Choice of fuel effects including life-like Oak Log, or alternative Crystal Ice
- Three flame colour choices: amber, amber with blue accent, and blue
- Downlighting illuminates fuel effect with lighting to complement flames
- Eight fuel bed lighting colours, plus cycling spectrum mode

- Programmable Thermostatic Eco Remote Control plus app control on iOS and Android devices
- Flames and lighting can be enjoyed with or without the heat
- Optional Mood Lighting System
- Media wall compatible**

Heat Output 1.00-2.00kW (or flame effect only)

with Blue accent

Flame Visual Settings Amber, Blue, or Amber

Interchangeable Fuel Beds Log effect Crystal Ice

Dimensions w x h x d (mm)

eReflex 135RW: 1355 x 380 x 175* eReflex 150RW: 1505 X 380 X 175*

Control

Programmable

Thermostatic

Eco Remote

*Dimensions in mm given are those overall visible upon installation. For technical information, see page 54.

For information on the remote control features see page 5.

eReflex 150RW installed as three-sided with optional mood lighting kit











eReflex 195RW with Oak Log-effect shown as three-sided installation Also shown optional Mood Lighting system

11100

1 1

eReflex 195RW electric





- Choice of fuel effects including life-like Oak Log, or alternative Crystal Ice
- Three flame colour choices: amber, amber with blue accent, and blue
- Downlighting illuminates fuel effect with lighting to complement flames
- Eight fuel bed lighting colours, plus cycling spectrum mode

- Programmable Thermostatic Eco Remote Control plus app control on iOS and Android devices
- Flames and lighting can be enjoyed with or without the heat
- Optional Mood Lighting System
- Media wall compatible**

Heat Output 1.00-2.00kW (or flame effect only)

Flame Visual Settings Amber, Blue, or Amber with Blue accent Interchangeable Fuel Beds Log effect Crystal Ice Programmable Thermostatic Eco Remote Control

Dimensions w x h x d (mm) eReflex 195RW: 1955 x 380 x 175*

🔾 🌑 🧶

*Dimensions in mm given are those overall visible upon installation. For technical information, see page 54.

For information on the remote control features see page 5.

riva2 670 electric fires

Riva2 670 fires bring a relaxing focal point to any home, with all the convenience of instant electric heat.

Designed to fit a wide variety of installation requirements, Riva2 670 electric fires can either be recessed into the wall, hearth-mounted into a traditional fireplace opening or alternatively hung directly on the wall with a wall-mounting box for easy installation.



GAZCO

frame options

Designio2









Evoke



Graphite & Black Glass



36

Graphite

riva2 670 verve xs



The stylish Verve XS transforms the Riva2 670 with a 3D frame designed to create maximum visual impact in your home. This subtly curving frame choice comes in smart Graphite to suit a variety of settings.

The Riva2 670's highly realistic fuel bed is enhanced by Gazco's stunning flame-effect, offering the ambience of a real log flame with the instant convenience of electric.

Finish Graphite Fuel Bed Heat Output 1.00 - 2.00kW (or flame effect only)

Fuel BedFrame DimensionsLog effectw x h x d (mm)1000 x 622 x 41*

fect only)

Programmable Thermostatic Eco Remote Control

* Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 54.

For information on the remote control features see page 5.



riva2 670 designio2



The Designio2 Glass and Steel frames offer a selection of contemporary framing options for the Riva2 670 electric fire.

The Designio2 Glass adds a striking black glass surround, with glossy reflective surfaces that enhance the fire's luxury aesthetic. For understated style, the Designio2 Steel frames the fire with a sophisticated metal surround, available in either Graphite or Iridium finishes to complement your décor.

Designio2 frames can be either wall or hearth mounted depending on your tastes.

Finish Black Glass Graphite Iridium

Fuel Bed Log effect Heat Output 1.00 - 2.00kW (or flame effect only)

Frame Dimensions w x h x d (mm)735 x 569 x 40*

Programmable Thermostatic Eco Remote Control

* Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 54.

For information on the remote control features see page 5.

riva2 670 evoke



Minimalist in design but bold in statement, the Evoke frame adds further presence to the Riva2 670. Choose from Steel or Glass fronts to suit your living area.

All Riva2 670 Electric fires can be recessed into a pre-constructed hole for a more minimalist installation but can also be hung directly on the wall with the optional wall-mounting box.

Front Finish Black Glass Graphite

Heat Output 1.00 - 2.00kW (or flame effect only)


Fuel Bed Log effect

Frame Dimensions w x h x d (mm)920 x 622 x 41*

Programmable Thermostatic Eco Remote Control

* Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 54.

For information on the remote control features see page 5.





logic2 electric fires

Featuring advanced LED technology, the Logic2 Electric Inset fire range offers captivating, life-like flame visuals for instant fireside ambience. Designed to fit easily into a standard fireplace opening, 3" rebated mantel with slip or simply against a flat wall using the optional spacer frame, this versatile fire can be enjoyed in almost any interior setting.

The Logic2 features various LED flame effects including deep amber, cool blue or a combination of the two. Using the handset that gives you full control over the fire's features, the Logic2's flames can be set to five brightness settings and can also be displayed with or without the heat if desired.

The Logic2's Programmable Thermostatic Eco handset also offers a number of convenient options, including Daily and Weekly scheduling. This advanced handset also includes various energy saving features which make it Ecodesign compliant. For more information see page 5.

These stylish electric fires come complete with three easily interchangeable fuel beds which each add a unique aesthetic. The log arrangement creates a traditional woodburning look, or, switch to either white and clear stones or grey pebbles for a strikingly contemporary aesthetic.

The versatile Logic2 has a choice of modern and traditionally styled frames and fronts (shown on the following pages) that allow you to customise your fire to suit your home.

three interchangeable fuel effects





White & Clear Stones



CAZCO



Grey Pebbles

Logic2 Electric Arts with Highlight Polished front, Brushed Steel effect frame and White & Clear Stones fuel bed on mixed flame effect setting. Also shown: Art Deco wooden mantel in white, available from Stovax.



logic2 arts

Logic2 Electric Arts with Matt Black front, Brushed Steel effect frame, & White & Clear Stone fuel bed on Blue flame setting. Shown with optional Spacer Frame.
 Logic2 Electric Arts with Polished Brass effect fret & frame

with Log-effect fuel bed on Amber flame setting.

Taking its design origins from the Arts and Crafts movement in the early twentieth century, the Logic2 Arts embraces simplicity and clean styling. Available in a range of front and frame finishes, the Arts can be selected in a variety of combinations to suit your tastes. Using the optional spacer frame the Arts can also be installed without having to be inset into a wall, minimising building work.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 55.

Finish Combinations							
Frame Choice	Front Choice						
	Matt Black						
Matt Black	Brass effect						
	Polished effect						
	Highlight Polished						
Brass effect	Brass effect						
	Matt Black						
Polished Steel	Polished effect						
ellect	Highlight Polished						
	Matt Black						
Brushed Steel	Polished effect						
	Highlight Polished						

Egic2 Electric Arts with Polished effect fret, Polished Steel

effect frame and Log-effect fuel bed on Amber flame setting.

Heat Output 1.00 - 2.00kW

(or flame effect only)

Flame Visual Settings
Amber, Blue or mixed

Programmable Thermostatic Eco Remote Control

Interchangeable Fuel Beds

Log-effect White & Clear Stones Grey Pebbles

Dimensions w x h (mm)*

510 x 609

logic2 chartwell



The elegant Logic2 Chartwell instantly evokes the heritage and classical styling of a traditional fireplace. Available in various front and frame finishes, the Chartwell can be combined with Gazco's many mantels, fronts and insert panels to create the perfect fireplace for your home.

For easy installation, each frame choice can be used with the optional spacer frame which allows the Logic2 to be fitted directly against a flat wall. Additional image shown on page 5.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 55.

Finish Combinations							
Frame Choice	ł	Front Choice					
		Matt Black					
Matt Black		Brass effect					
		Polished effect					
		Highlight Polished					
Brass effect		Brass effect					
		Matt Black					
Polished Steel effect	<	Polished effect					
enect		Highlight Polished					
		Matt Black					
Brushed Steel effect	\leq	Polished effect					
GUECI		Highlight Polished					

Heat Output 1.00 - 2.00kW

(or flame effect only)

Flame Visual Settings Amber, Blue or mixed Programmable Thermostatic Eco Remote Control

Interchangeable Fuel Beds

Log-effect White & Clear Stones Grey Pebbles

Dimensions w x h (mm)*

510 x 609

Logic2 Electric Chartwell with Highlight Polished front, Matt Black frame, and Grey Pebble fuel bed on Amber flame setting. Shown with Stovax Malmo wooden mantel**. **Mantel available to UK mainland only.



logic2 wave



Blending modern and traditional styling, the Logic2 Wave features smooth lines and refined curves, suiting both contemporary and period interiors alike. The Wave can be selected in Black, Polished Steel, Brushed Steel and Brass with the option to combine different frame and front finishes for unique styling. Logic2 Wave fires are available with an optional spacer frame which allows the fire to be quickly and easily fitted onto a flat wall, if desired.

* Dimensions given are those overall visible upon installation. For detailed technical information see page 55.

Finish Combinations								
Frame Choice	è	Front Choice						
Matt Black		Matt Black						
		Brass effect						
		Polished effect						
		Highlight Polished						
Brass effect		Brass effect						
		Matt Black						
Polished Steel	< _	Polished effect						
eneor		Highlight Polished						
		Matt Black						
Brushed Steel effect	\leq	Polished effect						
Chool		Highlight Polished						

Heat Output

1.00 - 2.00kW (or flame effect only)

Flame Visual Settings
Amber, Blue or mixed

Interchangeable Fuel Beds

Programmable Thermostatic Eco Remote Control

Dimensions w x h (mm)*

White & Clear Stones

510 x 609

Log-effect

Grey Pebbles

logic2 progress



The ultra-contemporary Progress front's minimalist styling perfectly complements the advanced Logic2 fire. Featuring a smoothly curving front with a striking Iridium finish, this modern fire effortlessly makes for a designer centrepiece in any interior.

The versatile Logic2 fire range is designed to be fitted into a standard fireplace opening or flat against the wall with either a 3" rebated mantel with slip or by using the optional spacer frame.

Finish Iridium

Heat Output 1.00 - 2.00kW (or flame effect only)

Flame Visual Settings Amber, Blue or mixed

Interchangeable Fuel Beds

Log-effect White & Clear Stones Grey Pebbles

Dimensions w x h (mm)*

520 x 602

Programmable Thermostatic Eco Remote Control

* Dimensions given are those overall visible upon installation. For detailed technical information see page 55.




51

technical information - electric stoves


chesterfield 5

Code	Model	Fuel Effect	Heat Output
605-850	Chesterfield 5	Various	0.75 - 1.50kW
Weight: 56kg	1		




marlborough2

Code	Mod	Model Fuel E		Fuel Ef	fect	Heat	Output	
659-085	Sma			Various		1.00 - 2.00kW		
659-112	Med	Medium Various			1.00 -	2.00kW		
Dimensions (mm)								
	А	В	С	D	Е	F	Weight	
Small	429	558	355	280	232	211	33kg	
Medium	600	583	406	330	398	241	50kg	




sheraton 5

Code	Model	Fuel Effect	Heat Output
605-832	Sheraton 5	Various	0.75 - 1.50kW
Weight: 55kg	g		




stockton2 and stockton 5

Code	Mod	Model Fuel Effect			Heat (Output		
604-144	Sma			Variou	JS	1.00 -	2.00kW	
604-172	5	5			Various		2.00kW	
604-203	Medium			Variou	Various		1.00 - 2.00kW	
Dimensions (mm)	A	В	С	D	E	F	Weight	
Small	438	525	289	49	232	220	50kg	
5	481	544	273	64	267	212	55kg	
Medium	601	617	347	65	398	258	72kg	



huntingdon

Code	Model	Fuel Effect	Door Type	Heat Output
615-258	20	Various	Tracery	1.00 - 2.00kW
615-011	20	Various	Clear	1.00 - 2.00kW
615-285	30	Various	Tracery	1.00 - 2.00kW
615-094	30	Various	Clear	1.00 - 2.00kW
615-302	40	Various	Tracery	1.00 - 2.00kW
615-123	40	Various	Clear	1.00 - 2.00kW




Dimensions (mm)

	А	В	С	D	Е	F	Weight
20	413	536	324	62	234	223	35kg
30	560	592	351	96	323	230	52kg
40	641	653	397	99	402	265	59.5kg


vogue midi

Code	Model		Fuel	Fuel Effect		Heat Output	
663-806 I	Midi		Va	Various		0.75 - 1.50kW	
663-834 I	Midi Midline Va		Va	rious	0.75 - 1.50kW		
Dimensions (mm)	А	В	С	D	Е	Weight	
Midi	416	639	348	306	337	42kg	
Midi Midline	416	791	348	306	337	48kg	



vogue midi t


Code	Model		Fu	Fuel Effect		Heat Output			
663-819	Midi T			,	Variou	IS	0.7	75 - 1	.50kW
663-851	Midi T N	Midi T Midline			Variou	IS	0.7	75 - 1	.50kW
663-860	663-860 Midi T Wall Mounted			' b	Variou	IS	0.7	75 - 1	.50kW
Dimensions (m	ım)	Α	В	С	D	Е	F	G	Weight
Midi T		417	776	348	306	475	115	434	38kg
Midi T Midline)	417	927	348	306	475	115	434	44kg
Midi T Wall M	lounted	417	776	348*	306	475	115	434	44kg
*360mm is depth	*360mm is depth with wall mounting bracket								



liberty 85

Code	Model	Colour	Fuel Effect	Heat Output
610-107	Liberty 85 - Black	Black (front)	Various	2.00kW
610-126	Liberty 85 - White	White (front)	Various	2.00kW


Plinth & Bench Mounting Choice



*360mm is depth with wall mounting bracket

CL

Code	Мо	del		Fuel	Effect	Heat	Output
YM681-196	CL	3		Vari	ious	1.00 -	2.00kW
YM681-331	CL	5		Vari	ious	1.00 -	2.00kW
YM681-374	CL	3		Vari	ious	1.00 -	2.00kW
Dimensions (mm) A B C D E Weight					Weight		
CL3		371	313	541	244	252	40kg
CL5		416	333	552	244	311	44kg
CL8		553	374	604	274	427	47kg




The above information is to assist in your choice of a suitable Gazco stove. It is not intended to be all information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com 53

technical information - electric fires

eReflex electric

Description	Product Code	Flame Viewing Area (w x h)	Heat Output
eReflex 55RW Electric Fire	210-116	555 x 555mm	Up to 2.00kW
eReflex 75RW Electric Fire	210-121	755 x 755mm	Up to 2.00kW
eReflex 85RW Electric Fire	210-130	855 x 380mm	Up to 2.00kW
eReflex 110RW Electric Fire	210-142	1105 x 380mm	Up to 2.00kW
eReflex 135RW Electric Fire	210-153	1355 x 380mm	Up to 2.00kW
eReflex 150RW Electric Fire	210-177	1505 x 380mm	Up to 2.00kW
eReflex 195RW Electric Fire	210-164	1955 x 380mm	Up to 2.00kW

optional mood lighting



riva2 670 electric

			Open	ing Size	(mm)	655mm
Product Code	Fuel Effect	Heat Output	w	h	d	568mm
234-872	Logs	1.00 - 2.00kW	665	535	105	T.
						680mm 525mm
Riva2 670 Ele	ctric Wall Mo	unting Box				
8688SL	Wall mour	nting box for Riva2	670 Ele	ctric Cas	ssette (2	234-872)

The wall mounting box allows you to hang your Riva2 670 directly onto the wall, without the need for an opening or recess.

frame information

					()
Product Code	Description	Frame Finish	w	h	d
934-339	Designio2 frame	Black Glass	735	569	40
934-238	Designio2 frame	Graphite	735	569	40
934-238IR	Designio2 frame	Iridium	735	569	40
934-529	Evoke frame	Black Glass front with Graphite rear	920	622	41
934-601	Evoke frame	Graphite front with Graphite rear	920	622	41
934-143	Verve XS frame	Graphite	1000	621	56

Suggested TV and eReflex combinations

Product	TV Size*
eReflex 85RW	32" - 43"
eReflex 110RW	43" - 55"
eReflex 135RW	50" - 65"
eReflex 150RW	55" – 65"
eReflex 195RW	65" – 75"



*TV sizes refer to the standard diagonal screen dimension that


Frame Size (mm)

TV manufacturers state when describing the size of their products. If sizing your existing flat screen TV, measure diagonally from the top left of the screen to the bottom right to find the TV's advertised size. We also recommend measuring the width and height of your TV if lining it up with the eReflex below.


in

logic2 electric

progress frame dimensions



arts, wave & chartwell frame dimensions



* The depth of the Logic2 Electric fires are increased by 6mm when using an optional spacer frame.

Product Code	Front	Frame Finish	Front Finish	Heat Output			
arts fire information							
201-005	Arts	Matt Black	Matt Black	1.00 - 2.00kW			
201-038	Arts	Matt Black	Brass Effect	1.00 - 2.00kW			
201-081	Arts	Matt Black	Polished Effect	1.00 - 2.00kW			
201-099	Arts	Matt Black	Highlight Polished	1.00 - 2.00kW			
201-132	Arts	Brass Effect	Brass Effect	1.00 - 2.00kW			
201-148	Arts	Polished Steel Effect	Matt Black	1.00 - 2.00kW			
201-173	Arts	Polished Steel Effect	Polished Effect	1.00 - 2.00kW			
201-197	Arts	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW			
201-222	Arts	Brushed Steel Effect	Matt Black	1.00 - 2.00kW			
201-236	Arts	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW			
201-401	Arts	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW			

Product Code	Front	Frame Finish	Front Finish	Heat Output
wave fire	informa	ation		
201-416	Wave	Matt Black	Matt Black	1.00 - 2.00kW
201-504	Wave	Matt Black	Brass Effect	1.00 - 2.00kW
201-360	Wave	Matt Black	Polished Effect	1.00 - 2.00kW
201-384	Wave	Matt Black	Highlight Polished	1.00 - 2.00kW
201-688	Wave	Brass Effect	Brass Effect	1.00 - 2.00kW
201-717	Wave	Polished Steel Effect	Matt Black	1.00 - 2.00kW
201-591	Wave	Polished Steel Effect	Polished Effect	1.00 - 2.00kW
201-828	Wave	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW
201-757	Wave	Brushed Steel Effect	Matt Black	1.00 - 2.00kW
201-269	Wave	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW
201-323	Wave	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW

chartwell fire information

201-742	Chartwell	Matt Black	Matt Black	1.00 - 2.00kW
201-708	Chartwell	Matt Black	Brass Effect	1.00 - 2.00kW
201-655	Chartwell	Matt Black	Polished Effect	1.00 - 2.00kW
201-626	Chartwell	Matt Black	Highlight Polished	1.00 - 2.00kW
201-554	Chartwell	Brass Effect	Brass Effect	1.00 - 2.00kW
201-511	Chartwell	Polished Steel Effect	Matt Black	1.00 - 2.00kW
201-392	Chartwell	Polished Steel Effect	Polished Effect	1.00 - 2.00kW
201-314	Chartwell	Polished Steel Effect	Highlight Polished	1.00 - 2.00kW
201-293	Chartwell	Brushed Steel Effect	Matt Black	1.00 - 2.00kW
201-024	Chartwell	Brushed Steel Effect	Polished Effect	1.00 - 2.00kW
201-070	Chartwell	Brushed Steel Effect	Highlight Polished	1.00 - 2.00kW

progress fire information

201-103	Progress	Iridium	1.00 - 2.00	

optional spacer frames⁺

901-815	Logic2 Electric Arts, Chartwell & Wave Spacer Frame - Black
901-860	Logic2 Electric Progress Spacer Frame - Graphite

+ Logic2 Electric Spacer Frames are for use when installing onto a flat wall.

The above information is to assist in your choice of a suitable Gazco fire. It is not intended to be all information required to install your fire. This can be obtained from your local Gazco retailer or you can download the full installation instructions from the Gazco website at www.gazco.com 55

further information

stove benches

These versatile steel benches are compatible with the Vogue, CL, and Liberty 85 stoves. With a variety of sizes they offer greater design possibilities such as central or offset stove positioning, expanding your styling options. and Amber flame setting, on a 120 Low Deep Bench







Product Code	Bench	W (mm)	H (mm)	D (mm)
RVACLB45BHT	45 Low bench*	450	250	420
RVACB45BHT	45 High bench*	450	350	420
RVACLB100BHT	100 Low bench*	1000	250	420
RVACB100BHT	100 High bench*	1000	350	420
RVACLB120BHT	120 Low bench	1200	250	420
RVACB120BHT	120 High bench	1200	350	420
RVACLB140BHT	140 Low bench	1400	250	420
RVACB140BHT	140 High bench	1400	350	420
RVACLB180BHT	180 Low bench	1800	250	465
RVACB180BHT	180 High bench	1800	350	465

Liberty 85 Electric in White with Log & Pebble fuel effect

Deeper Bench Options (500mm Deep)

RVACLB120BHT	120 Low bench	1200	250	500
RVACB120BHT	120 High bench	1200	350	500
RVACLB140BHT	140 Low bench	1400	250	500
RVACB140BHT	140 High bench	1400	350	500
RVACLB180BHT	180 Low bench	1800	250	500
RVACB180BHT	180 High bench	1800	350	500

*Not compatible with Liberty 85 Electric Stoves

the cost of your product back!

For further home inspiration you can **view real life installations** at our Customer Showcase page and share your thoughts and photos of your new stove or fire installation to enter our draw!

- We will publish your entry on our Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back
- Gain a second entry by registering your product online for your free extended warranty at gazco.com/registration






"We absolutely love our fire"

View real life installations and submit your review at **gazco.com/customershowcase**

* Terms and conditions apply. See online for details

eStudio electric fires





The Gazco electric fire collection also includes the eStudio range. Offering captivating flame and ember effects in a choice of colours, the eStudio features our immersive Chromalight LED System. Combining innovative lighting technology with various highly realistic fuel effect choices, eStudio fires bring stunning, atmospheric visuals to your living area. These designer electric fires present an array of sizes and installation choices, with Inset, Multi-Sided and wall mounted options to suit your home.


For more information on eStudio electric fires, please contact your local retailer or visit: www.gazco.com/brochures, where you can download the range's brochure.





Ónyx Avanti Electric Fires







Avanti 150RW with Split Oak Log-effect, installed as a single-sided fire. Shown with optional Mood Lighting System.

In addition to the eStudio & eReflex ranges, the Stovax Heating Group also includes the extraordinary Avanti electric range from our Onyx brand.

Delivering the ultimate in electric fire innovation, the Avanti's Chromalight® Plus systems employ layer upon layer of visual technology to weave a palette of captivating flame and lighting effects, with each effect highly customisable. Crisp flame visuals appear to dance and soar between true-to-life log effects, dynamically lit from all angles for absolute immersion.

For more information on the full Avanti electric range, please contact your local retailer or view and download the full brochure at: **www.onyxfires.com.**



Onyx AVANTI ELECTRIC Inter Beyond Integrisation

alth althe althe



or visit our website: onyxfires.com/avanti

59

Pertina 1

and a second second second second



mantel, Stovax Burlington Cast front and Polished Insert Panel.





Gazco Limited, Spitfire Avenue, Skypark, Clyst Honiton, Exeter, EX5 2FR Tel: 01392 261900 • Trade Sales: 01392 261999 • Email: info@gazco.com Export Sales: +44 1392 261990 • Export Email: exportsales@gazco.com



Product Improvement and Photography

Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase. Owing to variations in studio lighting and printing inks, the colours of stoves illustrated in this brochure may differ slightly from actual models.



find your retailer

You can find your nearest retailer by

visiting: www.gazco.com/retailer

Your Gazco stockist:

GZELECTRIC0823

